



# FPGEE<sup>Q&As</sup>

Foreign Pharmacy Graduate Equivalency Examination

## Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

<https://www.pass4itsure.com/fpgee.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NABP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following is NOT an essential amino acid?

- A. Methionine
- B. Arginine
- C. Leucine
- D. Tryptophan
- E. Glycine

Correct Answer: C

---

### QUESTION 2

The following prescription is received in a community pharmacy:

Losec - 20 mg

S: Take 1 tab BID

M: 2 weeks

Which of the following is correct labelling for this prescription?

- A. Take one tablet twice weekly (28 tablets).
- B. Take one tablet twice weekly (4 tablets).
- C. Take two tablets twice daily (56 tablets).
- D. Take one tablet twice daily (28 tablets).
- E. Take one tablet twice daily (14 tablets)

Correct Answer: D

---

### QUESTION 3

Which is responsible for N in vivo?

- A. Arginine
- B. Tryptophan
- C. Guanine



D. Thiamine

E. Leucine

Correct Answer: A

---

#### QUESTION 4

Side effect of fu roseamide is:

A. Nausea

B. Mucositis

C. Constipation

D. Hearing impairment

E. Weight gain

Correct Answer: A

---

#### QUESTION 5

Drugs derivated from synthetic substances that can kill bacteria is normally called:

A. Bacteriostatic antibiotic

B. Bactericidal antibiotic

C. Bactericidal antimicrobial

D. Bacteriostatic antimicrobial

E. Bacteriostatic bactericidal antimicrobial

Correct Answer: C

---

#### QUESTION 6

Interactions with other drugs of clonazepam is:

A. Lactose: increases absorption

B. meperidine

C. Tricyclic antidepressants: potentiate sedation

D. cis-platinum - augments nephrotoxicity

E. Oral contraceptives: inhibit metabolism



Correct Answer: E

---

#### QUESTION 7

Class of nitrogen mustard is:

- A. Aquaretics
- B. Alkylating agents
- C. Lipid lowering drugs
- D. Drugs affecting calcium homeostasis
- E. Antivirals

Correct Answer: B

---

#### QUESTION 8

Physicochemical factors affecting the rate and extent of percutaneous drug absorption include:

I the partition coefficient of the drug molecule II the presence of surfactants in the formulation III the type of ointment base

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. I, II and III

Correct Answer: E

---

#### QUESTION 9

Which of the following statements refers to etidronate?

- A. Binds to DNA, preferentially to GC pairs. Inhibits RNA, DNA, and protein synthesis.
- B. Human, pig, salmon, and eel calcitonins are available.
- C. Is used for both therapy and prophylaxis of influenza A.
- D. Bioavailability increases with administered dose.



E. Only approved by FDA for hypertension treatment.

Correct Answer: D

---

#### QUESTION 10

Mechanism of action of doxorubicin is:

- A. Inhibits topoisomerase II
- B. alpha antagonist
- C. Inhibits peptidyl transferase
- D. beta antagonist
- E. Allosterically enhances GABAergic inhibition

Correct Answer: A

---

#### QUESTION 11

Beriberi is caused by deficiency of which of the following vitamins?

- A. Thiamine
- B. Riboflavin
- C. Niacin
- D. Pyridoxine
- E. Folic acid

Correct Answer: C

---

#### QUESTION 12

Otitis media is an ear infection normally caused by *S. pneumoniae* and may be best treated by:

- A. Amoxicillin
- B. Penicillin V
- C. Ampicillin
- D. Amoxicillin clavulanate
- E. Oxacillin

Correct Answer: D

---



### QUESTION 13

Otitis extern, an ear infection may be best is best treated by:

- A. Ciprofloxacin eardrop
- B. Gentamicin eardrop
- C. Prednisone eardrop
- D. Levobunolol eardrop
- E. Saline solution

Correct Answer: B

---

### QUESTION 14

Indication of PTU is:

- A. Glaucoma
- B. Migraine prophylaxis
- C. Thyrotoxicosis - preparation for radioactive iodine therapy
- D. Severe recurrent ventricular tachyarrhythmias
- E. Broad spectrum antibacterial agent

Correct Answer: C

---

### QUESTION 15

Which is not a drug used for smoke cessation?

- A. Nicotine polacrilex
- B. Transdermal nicotine patches
- C. Nicotine sublingual tablets
- D. Bupropion
- E. Buspirone

Correct Answer: C

---