



GE0-807^{Q&As}

Genesys Certified Professional 8 - System Consultant, Outbound Voice

Pass Genesys GE0-807 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ge0-807.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Genesys
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A "Cradle to grave" ("beginning to end") call control is a functionality of which of the following? (Choose 2 answers).

- A. Registrar
- B. Stateless Proxy
- C. Stateful Proxy
- D. B2BUA
- E. Redirect Server

Correct Answer: AD

QUESTION 2

When comparing the network bandwidth and performance (jitter, packet loss, latency) between G.711 and 6.729 codes, which one of the statements is true?

- A. G.729 and G.711 have the same bandwidth and network performance requirements
- B. G.729 requires less bandwidth than G.711, but G.711 requires better network performance
- C. G.729 requires less bandwidth than G.711, and there are no differences between G.711 and G.729 in there required network performance
- D. G.729 requires less bandwidth than G.711, but G.729 requires better network performance

Correct Answer: B

QUESTION 3

Which of the following is SIP Server deployment modes used with a Framework 8 solution? Choose 3 answers

- A. Stand Alone Mode
- B. Application Server Mode
- C. Multimedia Mode
- D. Customer Side Proxy Mode
- E. CTI Mode

Correct Answer: ABD



QUESTION 4

Which statements are correct? (Choose 2 answers)

- A. It is possible to deploy a combination of standard TDM PBX(s) and sip server(s).
- B. Genesys SIP server is capable of processing SIP signing and RTP/RTCP streams as well.
- C. Customers who have a legacy PBX deployed and want to deploy Genesys SIP Server have to dismantle their legacy infrastructure.
- D. SIP Server supports the exchange of early media before a particular session is accepted.

Correct Answer: BD

QUESTION 5

What is the default timeout defined in the SIP specification after which SIP Server will put a DN not responding to INVITE in Out of Service?

- A. 2 Seconds
- B. 4 Seconds
- C. 8 Seconds
- D. 16 Seconds
- E. 32 Seconds
- F. 64 Seconds

Correct Answer: E

QUESTION 6

Which of the following choices below contains all the messages that SIP is required to act on during the request/response handshake?

- A. INVITE, 200 OK and ACK
- B. INVITE, 200 OK. ACK and 200 ACCEPTED
- C. INVITE. 200 OK
- D. INVITE, 200 OK and 200 ACCEPTED

Correct Answer: A

QUESTION 7



Which of the following SIP Server features requires an MCU? (Choose 5 answers)

- A. 3 PCC conference - Single Step
- B. 3 PCC conference - Two Step
- C. Call Supervision
- D. Push video
- E. Emergency recording
- F. voicemail
- G. Email

Correct Answer: ABDFG

QUESTION 8

Sip Server 8.x introduced the overload control feature, which allows the specification of a value to limit the number of interactions SIP Server handles. At what percentage of this value does SIP Server reject all traffic?

- A. 101%
- B. 120%
- C. 130%
- D. 150%

Correct Answer: B

QUESTION 9

When using the REFER method, where would you specify the party the call is being transferred to?

- A. Refer header URI
- B. To: header
- C. contact: header
- D. REFER To: header
- E. Is not specified in the REFER messages

Correct Answer: A

QUESTION 10



Which of the following are SIP methods that can be used to pass DTMF tones? (Choose 3 answers)

- A. In-band method by encoding DTMF tone as regular RTP packets
- B. In-band method by encoding DTMF tone as in specific RTP packets (RFC 2833)
- C. Out-of-band method by encoding DTMF tone in SIP message (UPDATE method)
- D. Out-of-band method by encoding DTMF tone in SIP message (MESSAGE method)
- E. Out-of-band method by encoding DTMF tone in SIP message (INFO method)

Correct Answer: BDE

QUESTION 11

SIP Server starts successfully. However, its status on SCS is "Service Unavailable" and SIP Server distributes EventLinkDisconnected to clients. Which of the following circumstances would be responsible for the status and EventLinkDisconnected message?

- A. Stream Manager is not registered with SIP Server
- B. Media Gateway is not registered with SIP Server
- C. SIP Server fails to open the SIP port
- D. The network is down

Correct Answer: B

QUESTION 12

Which SIP Method is used by Active out of Service Detection to check a device for out of service status?

- A. INFOK
- B. CHECK
- C. MESSAGE
- D. OPTIONS
- E. SUBSCRIBE
- F. PUBLISH

Correct Answer: D

QUESTION 13

When using Genesys Media Server, which of the following are the two types of supported media interfaces? (Choose 2



answers)

- A. ADSL
- B. NETANN
- C. MSML
- D. KVM / USB

Correct Answer: BC

QUESTION 14

In SIP Server, how would you link an emulated ACD Queue to an associated RP?

- A. RP Default DN set to Queue
- B. Queue object Association set to RP
- C. RP Annex Tab option identifying Queue
- D. Same name suffix, prefixed by Q_ and RP_ respectively

Correct Answer: B

QUESTION 15

Which protocol is SIP Server using when in communication with Softswitch?

- A. CTI protocol
- B. T-Lib
- C. SIP
- D. Proprietary protocol

Correct Answer: C

[GE0-807 PDF Dumps](#)

[GE0-807 Practice Test](#)

[GE0-807 Study Guide](#)