



H12-811^{Q&As}

HCIA-Datcom V1.0

Pass Huawei H12-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following elements are included in the routing table? (*)

- A. Interface
- B. Destination/mask
- C. Nexthop
- D. Protocol
- E. Cost

Correct Answer: ABCDE

QUESTION 2

LACP protocol priority, switch A. and switch adopt LACP mode link aggregation, and all interfaces join the link aggregation group, and set the maximum number of active ports to 3, then which interface of switch A is not an active port? ()

- A. G0/0/3
- B. G0/0/0
- C. G0/0/2

Correct Answer: B

QUESTION 3

By default, on the broadcast network OSPF What is the transmission period of the protocol HELLO message? ()

- A. 10s
- B. 40s
- C. 30s
- D. 20s

Correct Answer: A

QUESTION 4



Which of the following statements about VLANIF interfaces are correct? ()

- A. The VANIF interface does not need to learn MAC addresses.
- B. The VLANTF interface does not have a MAC address.
- C. Different VLANIF interfaces can use the same IP address
- D. The VLANIF interface is a Layer 3 interface

Correct Answer: D

QUESTION 5

The link aggregation interface can only be used as a Layer 2 interface (C)

- A. True
- B. False

Correct Answer: A

QUESTION 6

Link aggregation is a common technology in enterprise networks. Which of the following descriptions are the advantages of link aggregation technology? (*)

- A. Improve safety
- B. Improve reliability
- C. Achieve load sharing
- D. Increase bandwidth

Correct Answer: BCD

QUESTION 7

The correct setting of the terminal emulation program when configuring the router through the Console () A. 9600bps, 8 data bits, 1 stop bit, even parity and hardware flow control

- B. 9600bps, 8 data bits, 1 stop bit, no checksum and no flow control
- C. 4800bps, s data bit, 1 stop bit, odd checksum and no flow control

Correct Answer: C



QUESTION 8

In the MAC address table of the switch, which of the following entries will not age?

- A. Static MAC address table entry
- B. Port MAC address table entry
- C. Dynamic MAC address table entry
- D. Device MAC address table entry

Correct Answer: A

QUESTION 9

The network management system can only view the operating status of the device through the SNMP protocol, but cannot issue the configuration ()

- A. True
- B. False

Correct Answer: B

QUESTION 10

In what ways does VRP support router configuration? (*)

- A. Configure the router via FTP
- B. Configure the router through the mni USport
- C. Configure the router through the Console port
- D. Configure the router via Telnet

Correct Answer: BCD

QUESTION 11

Which of the following statements about the various versions of the SNMP protocol are correct?

- A. The SNMPv2message has the functions of identity verification and encryption processing.
- B. SNMPv.3 messages have the functions of identity verification and encryption processing.



C. SNMPv1 uses UDP as the transport layer protocol, while SNMPv2 and SNMPv3 use TCP as the transport layer protocol, so the reliability is higher.

D. SNMPv2 follows the 5 protocol operations defined in the v1 version and adds two additional operations.

Correct Answer: BD

QUESTION 12

Which parameter is used in the spanning tree protocol for root bridge election? ()

A. Port ID

B. Bridge priority

C. Root path cost

D. Bridge ID

Correct Answer: B

QUESTION 13

You can manually specify the source address or source interface of the CAPWAP tunnel on the A()

A. True

B. False

Correct Answer: A

QUESTION 14

Which of the following statements about Prefix Segment is wrong? ()

A. Prefix Segment needs to be configured manually

B. Prefix Segment spreads to other network elements through the IGP protocol, which is globally visible and effective

C. Prefix Segment is used to identify a destination address prefix in the network (Prefix)

Correct Answer: B

QUESTION 15



By default, what is the lease period for the DHCP server to assign an IP address? ()

- A. 12h
- B. 1h
- C. 24h
- D. 18h

Correct Answer: C

[H12-811 PDF Dumps](#)

[H12-811 VCE Dumps](#)

[H12-811 Practice Test](#)