



H13-629_V2.0^{Q&As}

HCIE-Storage (Written)v2.0

Pass Huawei H13-629_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h13-629_v2-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following is not true about the working principle of CIFS: (multiple choice)

- A. Before establishing a shared connection, establish a session and then negotiate the agreement
- B. establish a shared connection before the file operation
- C. in the agreement negotiation stage for safety certification
- D. file operation is completed, does not require client requests, the server will automatically disconnect the shared connection

Correct Answer: ACD

QUESTION 2

Users use storage foundation HA cluster software and two Huawei blade servers to build a highly available environment for enterprises to provide important business 7 * 24 hour service. One day due to an abnormal power failure one of the servers can not start normally. When the cluster server is in a wait state what command should be issued?

- A. hacf -verify
- B. hstart -all
- C. net start vcscomms
- D. gabconfig -cx

Correct Answer: C

QUESTION 3

Which of the following is incorrect regarding the Sompana oracle backup configuration?

- A. In the backup parameter settings "max open files" parameter defines the maximum number of files to be read in parallel per channel, which is the RMAN MAXOPENFILES parameter
- B. "Command line backup" and "Log Backup" select the storage strategy for the database and archive logs, both need to choose the same storage strategy
- C. The "data files per BFS" parameter in the backup parameter settings specifies the number of data files that can be simultaneously written to the same Back Set number
- D. To achieve Oracle RAC table-level recovery, the backup parameter settings must be in the "option" tab check the "enable table browse" option

Correct Answer: B

**QUESTION 4**

RAC is a typical "multi-instance, single-database" architecture that is shared by all nodes, accessed in parallel, including database data files, control files, parameter files, online reorganization log files, and even archived log files are placed on shared storage and guaranteed to be simultaneously accessible by all nodes

- A. Correct
- B. mistakes

Correct Answer: B

QUESTION 5

The OceanStor 18500 uses the RAID 2.0 virtualization architecture. When planning to configure storage, which of the following is incorrect?

- A. A storage pool can create two types of LUNs, Thick LUN and Thin LUN
- B. When creating a storage pool, the minimum number of SAS disks in the hard disk domain where the storage pool is located is 9 disks when the performance layer RAID policy is selected as 8D + 1P
- C. In the RAID 2.0 virtualization architecture, the hot spare space in the storage pool is distributed on each member disk in the storage pool
- D. RAID 2.0 virtualization architecture, the storage pool can contain three storage tiers, and each tier can be configured with a number of different RAID strategies

Correct Answer: D

QUESTION 6

Which of the following are correct regarding the Simpana backup software? (multiple choice)

- A. data Reader: The flow of raw data read from the client, set in each client
- B. Data streams: client to MediaAgent data transfer stream, set in the storage strategy
- C. Device Streams: MediaAgent to storage Media data transfer stream, set in each sub-client
- D. The value of Data Reader must be less than the value of Device Streams

Correct Answer: ABC

QUESTION 7

In the disaster recovery solutions provided by Huawei in Hong Kong and China in three different centers, which of the following combinations are recommended for the selection of networking and replication technologies?

- A. City Ethernet, asynchronous data replication



- B. City FC network, synchronous data replication
- C. Off-site Ethernet, asynchronous data replication
- D. remote FC network, synchronous data replication

Correct Answer: BC

QUESTION 8

The OceanStor V3 storage smart partition can allocate independent cache space for different LUNs. The capacity of the cache space is shared by both read and write operations.

- A. True
- B. False

Correct Answer: B

QUESTION 9

Create LUNs on an OceanStor V3 storage system. Set the initial space allocation policy to be automatic. Create LUN 1, and 80% of its space comes from the capacity tier. Create LUN 2 in the same storage pool. It can be concluded that 0% of LUN 2's space comes from the performance tier.

- A. TRUE B. FALSE

Correct Answer: A

QUESTION 10

The RMAN command dbms-rvcat in the three PL / SQL packages is used to query the recovery catalog and target database control files, such as the list, report commands or a call to the package.

- A. True
- B. False

Correct Answer: B

QUESTION 11

In a media application scenario, large files is an important application feature. Huawei OceanStor 9000 can allocate different configurations according to different users. This avoids some of the unimportant data transition overhead, which of the following description of the quota is correct?

- A. The types of quotas include capacity quota and file quota.
- B. Quota methods include calculating quotas, soft quotas and mandatory quotas.



C. The system pre-allocates quotas for files before writing the file. When the user cancels the writing of the file being written, the system does not release a pre-allocated quota.

D. When the user continues to write data, the quota information has been used in the InfoAllocator interface real-time updates.

Correct Answer: A

QUESTION 12

Which of the following are false about OceanStor V3 LUN copy and clone: (multiple choice)

A. LUN copies and clones have the data of the original volume at the moment when the original data is initiated (or started) for the backup of the original data

B. LUN copies and clones need to stop the host business during execution

C. LUN copies and clones can both be executed in the same display

D. Both LUN copies and clones can be incrementally synchronized

Correct Answer: BD

QUESTION 13

In a customer environment with SuSE 10SP3, HBA QLogic QLE2562, using the operating system comes with HBA card driver. The storage array is Huawei OceanStor V3 storage. When storing the FC host port on the system and the HBA on the host. When the card port mode is inconsistent, it is usually recommended to modify the FC host port mode on the storage side to solve the problem.

A. True

B. False

Correct Answer: B

QUESTION 14

Which of the following is not a disaster recovery manual restart configuration necessary to restore the production system (Multiple choice.)

A. Stop the current production business

B. Add the remote device to the original production array

C. With the disaster recovery array as the master LUN and the original production array as the slave LUN, create the remote replication relationship between the DR and the production end and wait for the initial synchronization to be completed.

D. Make an incremental synchronization.



E. Delete the original production array consistency group.

Correct Answer: BE

QUESTION 15

Customers set up a vio server environment on an IBM server, and the storage devices connected to the server through vio server provide storage space to a virtual partition in the server. Customers buy Huawei OceanStor18000 deposit Storage and plan to replace the original storage device. What is the recommended best practice?

- A. Connect Huawei storage to the original vio server and perform data migration on the vio server system layer.
- B. Connect Huawei storage to the original vio server and migrate data in the virtual partition system layer.
- C. Create a new vio server for Huawei storage and migrate data in the virtual partition system layer.
- D. Create a new vio server for Huawei storage and migrate data on the vio server system layer.

Correct Answer: C

[H13-629_V2.0 PDF Dumps](#) [H13-629_V2.0 VCE Dumps](#) [H13-629_V2.0 Braindumps](#)