



HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following laboratory blood values is expected to be decreased in hepatic dysfunction?

- A. Albumin
- B. Bilirubin
- C. Ammonia
- D. ALT and AST

Correct Answer: A

QUESTION 2

Which of the following statements accurately describes the occurrence of dyspnea in patients who are receiving end of life care?

- A. Dyspnea is only experienced by patients who have primary diagnoses that involve the lungs
- B. Dyspnea occurs in less than 50% of the patients who are receiving end of life care
- C. Dyspnea that is caused by increased fluid volume may be improved by diuretics
- D. Dyspnea may be caused by antibiotic therapy used over a long period of time

Correct Answer: C

QUESTION 3

Nursing management of the patient with external otitis includes:

- A. Irrigating the ear canal with warm saline several hours after instilling lubricating ear drops
- B. Inserting an ear wick into the external canal before instilling the ear drops to disperse the medication
- C. Teaching the patient how to instill antibiotic drops into the ear canal before swimming
- D. Instilling ear drops without the dropper touching the auricle and positioning the ear upward for 2 minutes afterwards

Correct Answer: D

QUESTION 4

You are the nurse providing post-operative care for a 9 year old boy who is 6 hours post- tonsillectomy. He is sleeping, but on routine observation you notice that his pulse has increased, he seems to be restless and trying to swallow frequently. Your immediate action would be:



- A. Apply an ice collar to reduce discomfort
- B. Allow child to keep sleeping and record observations
- C. Wake him and offer some ice chips to suck
- D. Check inside his mouth for any signs of bleeding and notify the physician

Correct Answer: D

QUESTION 5

A patient with a central venous line develops sudden clinical manifestations that include a decrease in blood pressure, an elevated heart rate, cyanosis, tachypnea, and changes in mental status. Which of the following is the most likely cause of these symptoms?

- A. An air embolism
- B. Circulatory overload
- C. Venous thrombosis
- D. Developing bacteremia

Correct Answer: A

QUESTION 6

Which of the following indicates the nurse is engaging in a therapeutic nurse-patient relationship?

- A. The nurse establishes a relationship that is mutually beneficial
- B. The nurse demonstrates sympathetic feelings toward the patient
- C. The nurse commits to helping the patient find ways to help self
- D. The nurse utilizes therapeutic touch to convey acceptance of the patient

Correct Answer: C

QUESTION 7

The best time for the nurse to teach an anxious patient about the patient controlled analgesic (PCA) pump would be during which of the following stages of patient care?

- A. Post-operative
- B. Pre-operative
- C. Intraoperative



D. Post anesthesia

Correct Answer: B

QUESTION 8

A young patient is extremely irritable due to meningitis. It would be most important for the nurse to:

- A. Use low-level lighting in the room
- B. Ventilate the room
- C. Eliminate strong odors
- D. Allow frequent visitors

Correct Answer: A

QUESTION 9

A patient who presents with acute weight loss, dry skin and mucous membranes and decreased urine output is most likely be suffering from:

- A. Fluid volume deficit
- B. Acute renal failure
- C. Acute heart failure
- D. Urinary tract infection

Correct Answer: A

QUESTION 10

When caring for a patient with hepatic encephalopathy the nurse may carry out the following orders: give enemas, provide a low protein diet, and limit physical activities.

These measures are performed to:

- A. Minimize edema
- B. Decrease portal pressure
- C. Reduce hyperkalemia
- D. Decrease serum ammonia

Correct Answer: D

**QUESTION 11**

Which of the following interventions should the nurse implement if a patient complains of cramps while irrigating the colostomy?

- A. Reduce the flow of solution
- B. Have the patient sit up in bed
- C. Remove the irrigation tube
- D. Insert the tube further into the colon

Correct Answer: A

QUESTION 12

The best dietary advice a nurse can give to a woman diagnosed with mild pregnancy- induced hypertension is to:

- A. Follow a strict low salt diet
- B. Restrict fluid intake
- C. Increase protein intake
- D. Maintain a well-balanced diet

Correct Answer: D

QUESTION 13

A registered nurse delegates care to a practical nurse. The person most responsible for the safe performance of the care is the:

- A. Head nurse who is in-charge of the unit
- B. The practical nurse assigned to provide the care
- C. The registered nurse who delegated the care to the practical nurse
- D. The nursing care coordinator who is the supervisor of the unit

Correct Answer: C

QUESTION 14

Which of the following is the most appropriate first action for the nurse to take for a pre- schooler who has fallen and has a hematoma formed on the temporal bone?



- A. Encourage a nap
- B. Give pain medication
- C. Apply ice and monitor vital signs
- D. Allow the child to continue activities

Correct Answer: C

QUESTION 15

The nurse is preparing teaching plans for several patients. The nurse should recognize which of the following patients is at greatest risk for fluid and electrolyte imbalance?

- A. A 2-year-old patient who is receiving gastrostomy feedings
- B. A 20-year-old patient with a sigmoid colostomy
- C. A 40-year-old patient who is 3 days post-operative with an ileostomy
- D. A 60-year-old patient who is 8 hours post-renal arteriography

Correct Answer: C

[Latest HAAD-RN Dumps](#)

[HAAD-RN Exam Questions](#)

[HAAD-RN Braindumps](#)