



HAT-680^{Q&As}

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE
ADMINISTRATION

Pass Hitachi HAT-680 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hat-680.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You want to group volumes together on a VSP storage system using LUSE. What is the maximum number of volumes that would be grouped together?

- A. 16
- B. 32
- C. 36
- D. 60

Correct Answer: C

QUESTION 2

A storage administrator needs to allocate storage to a host using Hitachi Device Manager. In the GUI, which two locations would they navigate to when allocating the storage? (Choose two.)

- A. Parity Groups view
- B. Admin Groups view
- C. Logical Groups view
- D. Mobility Groups view

Correct Answer: AC

QUESTION 3

A manufacturing company wants to centrally manage all their multi-pathing software using Hitachi Global Link Manager (HGLM). Which two types of multi-pathing software are supported? (Choose two.)

- A. HDLM
- B. HP-UX Multipathing
- C. PowerPath
- D. SDD

Correct Answer: AB

QUESTION 4

You want to backup the HiRDB database of your newly installed Hitachi Command Suite (HCS) server. Which two methods are available to you? (Choose two.)



- A. Use the hcmdsbackups command specifying a directory for the backup data.
- B. Open the Utility tab in the HCS GUI and select the Backup Database function.
- C. Run the HiRDB backup wizard and select the backup format and destination.
- D. Use hcmdsdbtrans /export command to export the database in CSV format.

Correct Answer: AD

QUESTION 5

You use Hitachi Device Manager (HDvM) to manage your VSP and HUS storage systems. Within the HDvM GUI, in which two locations would you perform storage allocation tasks? (Choose two.)

- A. Resources
- B. Administration
- C. Logical Groups
- D. Tasks

Correct Answer: AC

QUESTION 6

Which Hitachi Command Suite product would be installed on a server different from the one where the Hitachi Device Manager software resides?

- A. Tiered Storage Manager
- B. Tuning Manager
- C. Partition Manager
- D. Replication Manager

Correct Answer: B

QUESTION 7

Which three GUI options in the Hitachi Command Suite would be used to optimize data placement within an HDT implementation? (Choose three.)

- A. Edit Dedupe Policy
- B. Edit Tiering Policy
- C. Migrate Data



- D. Archive Data
- E. Expand DP Volume

Correct Answer: BCE

QUESTION 8

A user reports that a host is unable to see the LUNs added with Hitachi Device Manager (HDvM). When troubleshooting, which two actions should you perform? (Choose two.)

- A. Restart the HDvM services.
- B. Verify the paths between the host and the storage system.
- C. Verify the Alerts in HDvM.
- D. Set "server.base.initialsynchro=true" in the HDvM server.properties file.

Correct Answer: BC

QUESTION 9

A Hitachi Dynamic Provisioning pool has exceeded a threshold and the administrator wants to reduce the pool usage below the threshold setting. How would this be achieved?

- A. Expand pool volumes.
- B. Set Host Mode option 40.
- C. Use Zero Page Reclaim.
- D. Shrink some DP Vols.

Correct Answer: C

QUESTION 10

Using Hitachi Device Manager, and after launching the Element Manager, you want to specify a logical device (LDEV) as a Command Device on a VSP storage system. Which two conditions must the LDEV satisfy? (Choose two.)

- A. The LDEV must be at least 128 MB in size.
- B. The logical device must not be reserved for ShadowImage in-system replication.
- C. The emulation type must be OPEN-V.
- D. The logical device must not be on a RAID1 parity group.

Correct Answer: BC

**QUESTION 11**

You want to use Hitachi Device Manager (HDvM) to manage your existing Hitachi Dynamic Provisioning (HDP) environment. Which three HDvM CLI commands can be used? (Choose three.)

- A. AddPool
- B. GrowPool
- C. ModifyPool
- D. MapLun
- E. AddLun

Correct Answer: ACE

QUESTION 12

Which three storage operations are performed with Hitachi Device Manager? (Choose three.)

- A. allocate volumes
- B. unallocate volumes
- C. compress volumes
- D. dedupe volumes
- E. create volume

Correct Answer: ABE

QUESTION 13

When configuring external storage on a VSP storage system, what happens when the Inflow Control option is set to Enable?

- A. Writes will be rejected when the external volume cannot be accessed.
- B. Writes will be rejected when the cache usage is above threshold 1.
- C. Writes will be accepted when the external volume cannot be accessed.
- D. Writes will be rejected when the cache usage is above threshold 2.

Correct Answer: A

QUESTION 14



A storage manager needs to add a new server to the Hitachi Device Manager (HDvM) database. As an alternative to running a host scan, which two actions are available to discover and identify the new server? (Choose two.)

- A. Use the Host Data Collector.
- B. Install HDvM Agent on the host.
- C. Execute the AddNewHost CLI command.
- D. Run the Import Hosts utility.

Correct Answer: AB

QUESTION 15

A user reports that a host running Hitachi Dynamic Link Manager (HDLM) has lost a number of paths to the LUNs it is using. The host still has access to all the LUNs. When troubleshooting, what should you do?

- A. Set all paths offline and then online again.
- B. Check the output of the "dlnkmgr view" command in HDLM.
- C. Reboot the host.
- D. Execute the "dlnkmgr online" command in HDLM.

Correct Answer: B

[HAT-680 VCE Dumps](#)

[HAT-680 Practice Test](#)

[HAT-680 Exam Questions](#)