



HCE-5420^{Q&As}

Hitachi Data Systems Certified Specialist - Content Platform

Pass Hitachi HCE-5420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hce-5420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which OS LUN size do all HCP 300 configurations use?

- A. 20 GB
- B. 30 GB
- C. 50 GB
- D. 400 GB

Correct Answer: B

QUESTION 2

Which username/password pair do you use to log into the HCP System Management Console for the first time?

- A. admin/hds
- B. security/Chang3Me!
- C. hcpadmin/hcpadmin
- D. root/hitachi

Correct Answer: B

QUESTION 3

A customer has an existing HCP 500 consisting of four storages nodes. They have just purchased an additional HCP 500 and you are informed that you will be performing the replication setup. What is the requirement prior to setting up replication?

- A. trusted replication server certificates
- B. replication link
- C. outbound link name
- D. inbound link name

Correct Answer: A

QUESTION 4

How should the RAID group(s) and logical volume(s) be configured on a HCP 300 node?

- A. three RAID groups each with three logical volumes



- B. three RAID groups each with a single logical volume
- C. a single RAID group with a single logical volume
- D. a single RAID group with three logical volumes

Correct Answer: D

QUESTION 5

Which two statements are true about the HCP back-end network? (Choose two.)

- A. All nodes in a HCP system must be on the same system-specific private back-end IP subnet.
- B. All nodes in a HCP system must be split across a dual-redundant private back-end IP subnet.
- C. The fourth octet of the back-end IP addresses should not be changed after it has been configured.
- D. The fourth octet of the back-end IP addresses must match the fourth octets used in the front-end IP addresses.

Correct Answer: AC

QUESTION 6

A customer has decided to acquire the entry level HCP 300. Which two hardware components will be included in the order? (Choose two.)

- A. four server nodes with internal storage
- B. six server nodes with internal storage
- C. rack and power distribution units (PDUs)
- D. four server nodes with SAN switches

Correct Answer: AC

QUESTION 7

A customer performed a search for an object that was recently added into the archive tenant being searched. The object was not listed within the search results returned by the HCP search engine. Why did this happen?

- A. The DPL2 volume had not yet been mounted to the search node(s) for access.
- B. There was not sufficient time allowed for indexing the most recent data added to the archive.
- C. The attribute for the new data's namespace was set to "hidden".
- D. The customer had not yet enabled DPL level two or above for the namespaces in this tenant.

Correct Answer: B



QUESTION 8

Which three actions can be performed using the administrator role on a HCP? (Choose three.)

- A. Create tenants.
- B. Download internal logs.
- C. Grant permission to view user accounts.
- D. Allow access for user account configuration.
- E. Permit a user to view system status with the System Management Console.

Correct Answer: ABE

QUESTION 9

A customer will be removing old Windows file servers and moving existing data to the default namespace on their new HCP 500. Which protocol is recommended to accomplish the move?

- A. CIFS
- B. HTTP
- C. REST
- D. NFS

Correct Answer: A

QUESTION 10

In the event of a HCP 500 node failure, which LUN configuration will protect access to a given set of data LUNs?

- A. dynamic multi-pathing
- B. Data Protection Level 2
- C. Zero Copy Failover
- D. HCP LUN replicator

Correct Answer: C

QUESTION 11

A customer's OS environment consists of 80% Windows and 20% UNIX. The customer has recently purchased a HCP solution and wants to restrict access to Windows systems in the 10.1.1.X IP range. What must be configured for the



customer to start using the HCP with the Windows and UNIX clients?

- A. Enable both the NFS and CIFS protocols then add 10.1.1.0/0 to the CIFS allow list.
- B. Enable the NFS protocol and then add 10.1.1.0/0 to the CIFS allow list.
- C. Enable both the NFS and CIFS protocols then add 10.1.1.0/0 to the CIFS deny list.
- D. Enable the CIFS protocol and then add 10.1.1.0/0 to the CIFS deny list.

Correct Answer: C

QUESTION 12

What is a valid HCP configuration?

- A. 2 node HCP 300 with RAID 5 (5+1) DPL2
- B. 4 node HCP 300 with RAID 6 (5+2) DPL2
- C. 4 node HCP 500 with RAID 5 (5+1) DPL2
- D. 4 node HCP 300 with RAID 5 (5+1) DPL2

Correct Answer: D

QUESTION 13

A customer has a HCP that is becoming full. They wrote data with a four week retention period and have not written any data in the last six months. They want to enable the disposition service. What will happen?

- A. Disposition would delete every object in the default namespace.
- B. Disposition would delete every object.
- C. Disposition would not delete any object.
- D. Disposition would duplicate every object in the default namespace.

Correct Answer: B

QUESTION 14

Which tool is used to configure the RAID group(s) and logical volume(s) on a HCP 300 node?

- A. Hitachi Device Manager
- B. HCP Volume Manager
- C. Mega RAID BIOS Configuration Utility



D. HCP Installation Utility

Correct Answer: C

QUESTION 15

A storage administrator on a customer site is performing a diagnosis of the HCP system by reviewing the system event logs. Which two are recorded in the system events log? (Choose two.)

A. logical volume failures

B. namespace list

C. users deleted

D. roles assigned

Correct Answer: AC

[Latest HCE-5420 Dumps](#)

[HCE-5420 Exam Questions](#)

[HCE-5420 Braindumps](#)