

## HH0-450<sup>Q&As</sup>

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

## Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/hh0-450.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF Pass4itSure.com

## https://www.pass4itsure.com/hh0-450.html

2024 Latest pass4itsure HH0-450 PDF and VCE dumps Download

## **QUESTION 1**

You are discussing Fibre Channel (FC) connectivity requirements with a customer who is	s comparing the capabilities of
the different Hitachi NAS Platform models. Which model has a minimum connectivity req	uirement of 4 FC ports?

A. 2200

B. 3080

C. 3100

D. 3200

Correct Answer: D

## **QUESTION 2**

A customer has a mixed UNIX and Windows environment and they are planning to implement a Hitachi NAS Platform. Which three host name resolution methods are supported in this environment? (Choose three.)

A. WINS

B. NTP

C. DNS

D. NDS

E. NIS

Correct Answer: ACE

#### **QUESTION 3**

A customer is running Web messaging related applications using a Hitachi NAS Platform 3080. They are worried about data inconsistencies and would like to know how a WFS-2 file system can benefit their current environment. Which two functions will provide an additional layer of data protection? (Choose two.)

A. multiple Checkpoints

B. quick rollback to a previous successful snapshot

C. data recovery from the deleted file system

D. the "consistency-check" command

Correct Answer: AB

#### Correct Ariswer. F

## **QUESTION 4**



## https://www.pass4itsure.com/hh0-450.html

2024 Latest pass4itsure HH0-450 PDF and VCE dumps Download

A customer with a Hitachi NAS Platform 3100 wants to implement anti-virus scanning. In which Hitachi NAS Platform related document do you find information about supported anti-virus scan engine software?

- A. the Access Control List (ACL)
- B. the Administration Guide
- C. the Independent Software Vendor (ISV) list
- D. the Hardware Compatibility List (HCL)

Correct Answer: C

## **QUESTION 5**

A customer is running Active Directory with Windows 2003 R2 and Windows 2008 servers acting as domain controllers. They also have a large UNIX environment. They would like to integrate a Hitachi NAS Platform using a centralized user and group mapping for their heterogenous environment. What should be done?

- A. Load the RFC 2307 Schema on the LDAP server.
- B. Downgrade all Windows servers to Windows 2000.
- C. Install NIS+ on all the UNIX servers.
- D. Enable SMTP for time synchronization between UNIX and Windows.

Correct Answer: A

## **QUESTION 6**

A customer wants to implement a 2 PB Hitachi NAS Platform 3200 solution while using a Hitachi AMS2000 Family storage system. Which two must be considered during the solution design phase? (Choose two.)

- A. The 3200 supports a 2 PB Storage Pool size.
- B. The largest RAID group size in a Hitachi AMS2000 Family is 38D+2P.
- C. A minimum of 8 storage pools are required to achieve 2 PB.
- D. The largest LUN size supported by a Hitachi AMS2000 Family is 60 TB.

Correct Answer: CD

#### **QUESTION 7**

An enterprise customer has asked you to plan a data migration from their six existing Windows Storage Server clusters to their Hitachi NAS platform 3090 cluster. They are currently using DFS and all of the current user access is mapped to the DFS namespace. You are asked to deliver a transparent migration strategy to minimize user impact. Which optimal migration strategy do you recommend?



## https://www.pass4itsure.com/hh0-450.html

2024 Latest pass4itsure HH0-450 PDF and VCE dumps Download

- A. Create an EVS for each server instance and assume the original name and IP address.
- B. Consolidate the environment to two EVSs, migrate the shares and link them to the same DFS context.
- C. Use Cluster Name Space and build a namespace that mirrors the current DFS namespace.
- D. Use CNAME records to point end-users to EVS instances using the same UNC path.

Correct Answer: B

## **QUESTION 8**

A customer environment consists of a Hitachi NAS Platform 3090 cluster connected to a Hitachi AMS2500 with SATA disk drives in RAID-6 configuration. The customer is using this solution primarily for data backup and is expecting optimal write performance and optimal reliability. Which "SATA Write and Compare" mode should be used?

- A. SATA Write and Compare Full
- B. SATA Write and Compare Enabled
- C. SATA Write and Compare Disabled
- D. SATA Write and Compare Optimal

Correct Answer: B

## **QUESTION 9**

You are designing a Hitachi NAS Platform solution to migrate files to a Hitachi Content Platform (HCP). Which configuration method must be used?

- A. Use the connector wizard.
- B. Use the CLI command xvI-path-add.
- C. Use the CLI command external-path-add.
- D. Use the CLI command migration-add-external-path.

Correct Answer: D

## **QUESTION 10**

Your customer wants to migrate a Hitachi NAS Platform 3080 switchless cluster to access a Hitachi VSP storage system using a SAN infrastructure built with Brocade M-series directors. Which two actions must be performed to ensure a successful migration? (Choose two.)

- A. Set the storage ports to point-to-point "fabric on".
- B. Set the Fibre Channel link type on the nodes to "N".

## VCE & PDF Pass4itSure.com

## https://www.pass4itsure.com/hh0-450.html

2024 Latest pass4itsure HH0-450 PDF and VCE dumps Download

- C. Change the host mode from 00 to 09.
- D. Set the Fibre Channel link type on the nodes to "automatic".

Correct Answer: AB

#### **QUESTION 11**

A customer is considering deploying a Hitachi NAS Platform in their environment. They require a single mount point to allow for ease of administration and data organization. Which licensed Hitachi NAS Platform software feature would help this customer?

- A. storage pools
- B. snapshots
- C. File System Rollback (FSR)
- D. Cluster Namespace (CNS)

Correct Answer: D

#### **QUESTION 12**

When planning for the installation of a Hitachi NAS platform MetroCluster, which three Hitachi Data Systems documents must be completed? (Choose three.)

- A. Pre-Engagement Checklist
- B. Systems Assurance Document
- C. Remote Copy Planning and Design Pre-Qualification Questionnaire
- D. Site Implementation Guide
- E. Change Control Approval Form

Correct Answer: ABC

## **QUESTION 13**

You are planning a data migration from a distributed Windows file server environment to a Hitachi NAS platform. You have discovered that some of the applications use hard-coded IP addresses. You have also identified that login scripts are used to map network drives for the end users. Which two methods can you use to minimize impact during the migration? (Choose two.)

- A. Modify the login scripts to point to the new location regardless of host name or IP address.
- B. Use CNAME records to preserve the IP addresses for hard-coded applications.
- C. Use the same IP addresses on the EVSs as the original server for applications.



## https://www.pass4itsure.com/hh0-450.html

2024 Latest pass4itsure HH0-450 PDF and VCE dumps Download

D. Use CNS to present a unified namespace and transparently migrate the applications.

Correct Answer: AC

#### **QUESTION 14**

A customer would like to implement a 2-node Hitachi NAS Platform 3080 cluster using a Hitachi AMS2100 storage system. The AMS2100 is shared with other Open Systems platforms. Ports 0B and 1B are the only ports available in the AMS2100. Hport 1 and 3 are the only ports available on the Hitachi NAS Platform nodes. Which two wiring and zoning configurations should be used? (Choose two.)

- A. Hport 1 of both nodes, and AMS port 0B must be connected to switch 1 and could be in the same zone.
- B. Hport 1 and 3 of node 1, and AMS port 0B must be connected to switch 1 and could be in the same zone.
- C. Hport 3 of both nodes, and AMS port 1B must be connected to switch 2 and could be in the same zone.
- D. Hport 1 and 3 of node 2, and AMS port 1B must be connected to switch 2 and could be in the same zone.

Correct Answer: AC

## **QUESTION 15**

An enterprise customer has purchased a Hitachi NAS platform to perform a server consolidation. The environment consists of 28 Microsoft Windows file servers integrated with DFS and 7 Samba servers that provide multi-protocol access to large graphics files used by Macintosh users. Which three potential points of contention should be considered when planning your solution design? (Choose three.)

- A. the number of concurrent users for each server being consolidated
- B. NTFS ACLs used by Samba
- C. name services integration
- D. DFS integration with CNS
- E. the number of Active Directory domains

Correct Answer: ACE

Latest HH0-450 Dumps

HH0-450 Practice Test

HH0-450 Study Guide