

Exam : HP0-436

**Title : OpenVMS v7 Network
Administration**

Version : DEMO

www.Pass4itSure.com

1.What do you do to preserve site-specific parameter settings and commands for a specific TCPIP service?

- A.Edit SYS\$SYSTARTUP:TCPIP\$SYSTARTUP.COM
- B.Edit SYS\$SYSTEM:TCPIP\$SYSTARTUP.COM
- C.Create files of the form SYS\$SYSTEM:TCPIP\$service_SYSTARTUP.COM
- D.Create files of the form SYS\$STARTUP:TCPIP\$service_SYSTARTUP.COM

Correct:D

2.What driver does SCA use to run cluster traffic on NICs?

- A.SYS\$NIDRIVER.EXE
- B.SYS\$PEDRIVER.EXE
- C.SYS\$EWDRIVER.EXE
- D.SYS\$PADRIVER.EXE

Correct:B

3.Which command is a prerequisite to using sysconfig -q socket?

- A.SYSCONFIG ENABLE
- B.@TCPIP\$DEFINE_COMMANDS
- C.SET PROCESS/PRIVILEGE = ALL
- D.@TCPIP\$DEFINE_SYSCONFIG

Correct:B

4.After replacing a DECserver, you cannot connect to it using SET HOST/MOP. Using NCL, what needs to be modified?

- A.MOP client address
- B.MOP circuit address
- C.MOP listener address
- D.MOP client node id

Correct:A

5.An OpenVMS system acts as a primary BIND server. Which options statement in the BIND configuration file enables a secondary BIND server to receive a copy of the same database?

- A.transfer-out
- B.query-source
- C.allow-transfer
- D.allow-update

Correct:C

6.How do you determine the total number of incoming TCP requests?

- A.TCPIP TRACE
- B.netstat -m
- C.TCPIP SHOW PROTOCOL TCP
- D.TCPIP SHOW TCP

Correct:C

7.How do you determine which NIC has cluster traffic running on it?

- A.SHOW CLUSTER /CONTINUOUS
- B.NCL> SHOW PROTOCOLS
- C.SDA> SHOW LAN
- D.SHOW CLUSTER /PORT

Correct:C

8.Which commands can be used to monitor "unavailable station buffers"? Select TWO.

- A.SDA> SHOW DEV EWA0: /COUNTER
- B.LANCP> SHOW DEV EWA0: /COUNTER
- C.NCL> SHOW ROUTING CIRCUIT EWA-0 COUNTER
- D.LANCP> SHOW LAN /COUNTER
- E.SDA> SHOW LAN /COUNTER

Correct:B E

9.We have a two-node cluster connected only by a Fast Ethernet switched LAN. Both nodes have locally attached disks. We need to backup the data on both nodes A and B with a tape library on node A. We do not have enough network bandwidth to backup up the data in the time allowed. Which approach will increase bandwidth and decrease backup time?

- A.Install a GIGAswitch/FDDI between nodes A and B.
- B.Add a Gigabit adapter to each system with a crossover cable.
- C.Install another tape drive in the tape library on node A.
- D.Replace the 10/100 adapter on node A with a Gigabit adapter.

Correct:B

10.Where would you look to determine what LPR printers are enabled on your system?

- A.SYS\$SPECIFIC:[TCPIP\$LPD]:TCPIP\$PRINTCAP.DAT
- B.SYS\$SYSDEVICE:[TCPIP\$LPD]TCPIP\$PRINTCAP.DAT
- C.SYS\$SYSTEM:QMAN\$MASTER.DAT
- D.The output of TCPIP SHOW SERVICE LPR /FULL

Correct:A

11.What returns the current number of active network connections on a DECnet-Plus system?

- A.NCL> SHOW NSP ALL STATUS NCL> SHOW OSI TRANSPORT ALL STATUS
- B.NCL>SNAPSHOT NODE 0 ALL COUNTERS NCL> SHOW EXECUTIVE CONNECTIONS
- C.MONITOR DECNET/CONNECTIONS
- D.SDA> SHOW CONNECTIONS

Correct:A

12.What purpose does the SNAPSHOT command in NCL serve?

- A.saves counters to a file
- B.monitors DECnet health
- C.saves and displays counters' values
- D.displays and zeroes old counters

Correct:C

13.Which indication from MONITOR SYSTEM shows a need to upgrade from Fast Ethernet to Gigabit Ethernet?

- A.compute queue with several processes
- B.high hard pagefault rate
- C.very few elements on freelist
- D.high buffered I/O rate

Correct:D

14.Which system resource is depleted, as you increase the number of IP users?

- A.PQL_MFILLIM

- B.PQL_MPGFLQUOTA
- C.GBLSECTIONS
- D.NPAGEDYN

Correct:D

15.Which characteristics must be adjusted, when increasing the number of NSP "Maximum Transport Connections"? Select TWO.

- A.Maximum Window
- B.Maximum Remote NSAPS
- C.Maximum Receive Buffers
- D.Maximum RJOBLIM
- E.Maximum Network Connections

Correct:B C

16.Which command connects to a terminal server console with DECnet-Plus?

- A.SET HOST/MOP
- B.SET HOST/LAT
- C.NCP> CONNECT NODE
- D.NCP> CONNECT VIA

Correct:A

17.What SMTP setting allows sending mail outside of your zone?

- A.General gateway
- B.Zone
- C.Alternate gateway
- D.Substitute domain

Correct:C

18.Which OpenVMS networking command generated the following output? Proto Recv-Q Send-Q Local Address Foreign Address (state) tcp 0 0 sable.telnet tsc.2097 ESTABLISHED tcp 0 0 sable.telnet tsc.2089 ESTABLISHED tcp 0 0 sable.1612 sable.1035 ESTABLISHED tcp 0 0 sable.1035 sable.1612 ESTABLISHED tcp 0 0 sable.nvcold sable.1034 ESTABLISHED tcp 0 0 sable.telnet joe.osn.cxo.d.2889

- A.NETSTAT
- B.NTPTRACE
- C.IFCONFIG
- D.TCPTRACE

Correct:A

19.What is a similarity between TCPIP Proxy and DECnet Proxy?

- A.use the same Proxy Database
- B.use AUTHORIZE to manage the database
- C.allow remote users to access files
- D.allow remote users anonymous access

Correct:C

20.Which utility configures full/half duplex on EWAO?

- A.MOP
- B.TCPIP
- C.LANCP

D.NCL

Correct:C

www.Pass4itSure.com

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.