

Exam : HP0-A16

**Title : NonStop Himalaya Problem
Management and
Resolution**

Version : DEMO

www.Pass4itSure.com

1.Which parameter follows the RDFCOM command for opening a specific RDF environment?

- A.process name
- B.extractor name
- C.control subvolume name
- D.primary system node name

Correct:C

2.When monitoring TMF in a production environment, what is critical to normal operations?

- A.transaction rate
- B.audit trail usage
- C.disk usage information
- D.audit trail dump information

Correct:B

3.Which tools are used by an operator to monitor processor load-balancing in real time? (Select two.)

- A.GPA
- B.PEEK
- C.Measure
- D.Web ViewPoint
- E.VIEWSYS

Correct:D E

4.Which command is used to determine if the cartridge loaded on \$TAPE0 is a 36-track cartridge?

- A.TAPECOM STATUS \$TAPE0
- B.MEDIACOM INFO MEDIADEFS
- C.SCF INFO TAPE \$TAPE0, DETAIL
- D.SCF STATUS TAPE \$TAPE0, DETAIL

Correct:D

5.What does the presence of a ZZSA file imply?

- A.The process has failed.
- B.The SQL cursor has failed.
- C.The Pathway server has stopped.
- D.The TMF process was suspended.

Correct:A

6.Which command is used to determine the MAC address of an ATM adapter?

- A.SCF INFO SAC
- \$ B.SCF INFO LINE
- \$
- C.SCF INFO SUBSYS \$ZZATM
- D.SCF INFO ADAPTER

\$ Correct:B

7.Which SCF STATUS command is used to determine the status of all ServerNet cluster-connected systems?

- A.SUBNET \$ZZSCL
- B.SUBSYS \$ZZSCL
- C.PROCESS \$ZZSCL
- D.SERVERNET \$ZZSCL

Correct:A

8.What does "DORMANT" state for a Spooler print process indicate?

- A.This process is in an error state.
- B.No print process has been configured.
- C.This print process has not been started.
- D.There are no jobs to be printed on the device configured for this process.

Correct:D

9.Which file must be modified to allow disk volume \$DATA1 to store OSS files?

- A.zposfset
- B.zposserv
- C.zposparm
- D.Storage-pool

Correct:D

10.Which utility is used to determine the state of an OSS subsystem process?

- A.SCF
- B.OSH
- C.INSPECT
- D.SYSINFO

Correct:A

11.There is a problem reported for a disk drive on a system that is not configured for dial-out. How do you determine if an alarm file has been created for this incident?

- A.Search the alarm file in the directory of TSM client software.
- B.Search the alarm file in the \$SYSTEM.SYS subvolume.
- C.Search the scanstring file in the \$SYSTEM.ZTSM subvolume.
- D.Search the alarm file in the \$SYSTEM.ZSERVICE subvolume.

Correct:D

12.Which wait condition is indicated in the Pathmon WAIT status LOCK?

- A.Linkmon is waiting for a locked server.
- B.The server is waiting for a locked requester.
- C.Pathmon is waiting for the LINKMON to release a link.
- D.The request is waiting for a locked object.

Correct:D

13.Click the Exhibit button. The attached NSKCOM output shows the swapfile for CPU 0 to be almost full. Which NSKCOM command is used to identify the process using the most swap space in this file?

```
Status of $SWAP.KERSWAP.CPU0
CPU 0
CPU Pages: Total 16384 Reserved 15865 Available 519
Peak CPU Pages ever reserved 15956
Threshold 13926 CPU pages
```

- A.INFO SWAPFILE *, CPU 0

- B.STATUS SWAPFILE *, CPU 0
- C.STATUS SWAP-USAGE, CPU 0
- D.STATUS SWAPFILE \$vol.subvol.CPU0,detail

Correct:C

14.How would you determine the preferred path between \node1 and \node2 in an EXPAND network?

- A.SCF INFO PATH \$<EXPAND-PATH-NAME,DETAIL< br> B.SCF PROBE PROCESS \$NCP, AT \node1, TO \node2
- C.SCF INFO PROCESS \$NCP, NETMAP, AT \node1,TO \node2
- D.SCF STATS PROCESS \$NCP, NETFLOW, AT \node1,TO \node2

Correct:C

15.Which single SCF command is used to get information for OSI/TS and its underlying subsystems?

- A.STATUS SU
- B.CHECK SU
- C.STATUS LINE
- D.STATUS PROCESS

Correct:B

16.Which utility reports doubly allocated file extents?

- A.SCF
- B.SQLCI
- C.DSAP
- D.DCOM

Correct:C

17.Which PATHCOM command helps to determine if the numstatic parameter for a Pathway server class should be increased?

- A.SHOW SERVER
- B.DISPLAY SERVER
- C.STATUS SERVER
- D.STATS SERVER

Correct:D

18.An EXPAND line reports an ERROR 124. Which SCF command gives additional information to determine the possible cause of the problem?

- A.STATUS LINE \$
- B.STATUSLINE \$, DETAIL
- C.INFO PROCESS \$NCP, NETMAP
- D.INFO PROCESS \$NCP, LINESET

Correct:B

19.Which utility is used to manage the OSS monitor?

- A.SCF
- B.OSSMON
- C.MONMGR
- D.OSHCNFG

Correct:A

20.What is the \$ZSMS process?

- A.System Monitor
- B.Storage Manager
- C.Security Manager
- D.Safeguard Manager

Correct:B

www.Pass4itSure.com

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.