

Vendor: HP

Exam Code: HP0-M50

Exam Name: HP BSM Operations Manager i 9.x

Software

Version: Demo

QUESTION 1

When SiteScope is integrated with OMi, what information does SiteScope send asynchronously, directly to OMi?

- A. Events and Health Indicators, based on SiteScope test results
- B. CI configuration details
- C. KPI status, based on SiteScope test results
- D. Performance results, based on SiteScope tests

Correct Answer: A

QUESTION 2

In the OMi event browser, you want to help another operator by entering additional information for an event that is owned by that operator. What should you do to accomplish this?

- A. Select event, select the Annotations tab, click the New Item asterisk icon to add an annotation, type in the information, click Ok.
- B. Select event, click Resolve button, select the Annotations tab, click the New Item asterisk icon to add an annotation, type in the information, click Ok.
- C. Select event, click Work on button, select the Annotations tab, click the New Item asterisk icon to add an annotation, type in the information, click Ok.
- D. Select event, click Reopen button, select the Annotations tab, click the New Item asterisk icon to add an annotation, type in the information, click Ok.

Correct Answer: A

QUESTION 3

What do event assignment rules enable you to do?

- A. send events to connected servers, based on event filters
- B. directly assign specific incoming event types to individual users
- C. automate user group ownership for events matching a filter
- D. configure the assignment of events to CIs and Event Type Indicators

Correct Answer: C

QUESTION 4

The OMi integration with Service Manager uses a Groovy Script Adapter as its integration type. When configuring this connection, what needs to be edited in the Groovy script that is supplied by OMi?

- A. Fully Qualified Domain Name of the Service Manager server
- B. User credentials for a Service Manager user with administrative permissions
- C. Web tier details in the DRILLDOWN_ROOT_PATH variable
- D. Fully Qualified Domain Name of the HP BSM data processing server

Correct Answer: C

QUESTION 5

How does OMi determine which events to automatically forward to other connected servers?

- A. It specifies a list of CIs. Any events that are related to a CI in the list are forwarded.
- B. The administrator defines Event Fowarding Rules, which are defined with an event filter. Any events that match the filter are forwarded.
- C. OMi automatically forwards the Cause events that are correlated using TBEC rules.
- D. It specifies a list of CI types. Any events that are related to a CI of a type that is in the list are forwarded.

Correct Answer: B

QUESTION 6

What is used to unify comparable events from different sources?

- A. ETI
- B. HI
- C. CI Resolver hint
- D. OM events

Correct Answer: A

QUESTION 7

Which statement is true about configuring custom actions? (Select two.)

- A. You can modify message contents to increase usability.
- B. You can run actions against a customizable set of Cls.
- C. An operator can perform individual parameterizations of actions.
- D. Any kind of batch, executable and URL action can be chosen.
- E. The provided Groovy script will perform the requested action.

Correct Answer: AE

QUESTION 8

What must you do when deploying HP BSM servers?

- A. Use the Server and Database Configuration utility to establish connectivity between the server and the databases.
- B. Establish client-server communication between BSM servers.
- C. Point the BSM data collector applications (BPM, SiteScope, etc.) to the event server.
- D. Ensure that each server has a read access account to the database servers.

Correct Answer: A

QUESTION 9

What is the primary tool used to determine the scope, size, and recommended installation of a specified HP BSM deployment?

- A. Capacity Calculator
- B. Deployment Configuration Calculator
- C. Machine Requirements Calculator
- D. OMi Installation Guide

Correct Answer: A

QUESTION 10

HP BSM management servers can be installed on which operating systems? (Select two.)

- A. HP-UX 11.11
- B. HP-UX 11.23
- C. Solaris 10
- D. IBM AIX
- E. Windows 2003 Server/Enterprise R2
- F. Windows 2008 Server/Enterprise R2

Correct Answer: EF

QUESTION 11

Which servers are required when deploying HP BSM in support of OMi? (Select two.)

- A. BSM Event Server
- B. BSM Data Processing Server
- C. BSM Authorization Server
- D. BSM Gateway Server
- E. BSM Correlation Server

Correct Answer: BD

QUESTION 12

What does the HP BSM Integration Adapter enable?

- A. the forwarding of events directly to the OMi event browser from Operations Manager
- B. the forwarding of events directly to the OMi event browser from SNMP traps and XML- formatted files
- C. Operations Manager event processing and synchronization capabilities
- D. network communication between event generators and Operations Manager

Correct Answer: B

QUESTION 13

OMi has been installed to support a competence center hierarchy. When defining event forwarding to the competency centers, which forwarding type will most likely be used?

- A. Notify
- B. Notify and Update
- C. Synchronize
- D. Synchronize and Transfer Control

Correct Answer: C

QUESTION 14

What are the benefits of deploying multiple servers for HP BSM for either a one-machine or a distributed deployment? (Select three.)

- A. provides scalability
- B. allows required databases to be installed across servers for improved performance
- C. allows servers to be placed behind a load balancer to improve system performance
- D. allows high availability options to be used to improve system availability and reliability
- E. provides single certificate authorization
- F. provides for distributed management of the BSM environment

Correct Answer: ACD

QUESTION 15

In which database does OMi store received events and operations management configuration data (such as event correlation rules)?

- A. Operations Management database
- B. Profile database
- C. Management database
- D. RTSM CMDB database
- E. RTSM CMDB History database

Correct Answer: A

Instant Download PDF And VCE 100% Passing Guarantee 100% Money Back Guarantee

QUESTION 16

What is the most fundamental element that enables OMi functionality?

- A. Health Indicators
- B. CI Resolution
- C. TBEC
- D. KPIs

Correct Answer: B

QUESTION 17

Which statement is true about ETI mapping rules?

- A. ETI mapping rules are defined by each domain manager (e.g. Operations Manager, SiteScope, BPM, RUM, Diagnostics).
- B. ETI mapping rules can be applied manually by an OMi operator.
- C. An ETI hint carried in an event will override an ETI mapping rule.
- D. ETI mapping rules are applied by the ETI resolver when an event is received by OMi.

Correct Answer: D

QUESTION 18

What are ETI Mapping Rules defined for?

- A. Operations Manager policies
- B. CI types
- C. individual CIs
- D. event types

Correct Answer: B

QUESTION 19

What is a function of Indicator Mapping Rules?

- A. setting indicators when using legacy Operations Manager (HPOM) monitoring systems
- B. connecting CI types with performance graphs
- C. mapping services in the Service Navigator to CIs
- D. mapping Operations Manager (HPOM) servers to OMi

Correct Answer: A

QUESTION 20

RTSM is used by OMi to do what? (Select two.)

- A. provide OMi with the CI and relationship details needed by TBEC
- B. store CIs discovered by OMi in the Events database
- C. enable OMi to set the Global ID attribute of each CI as needed for TBEC processing
- D. provide OMi with the CI details needed to enable the CI Resolver to associate received events with the appropriate CI
- E. store events received by OMi

Correct Answer: AD

QUESTION 21

Where SPI discovery has not been used, what would you typically recommend for populating the RTSM?

- A. Toposync
- B. DDM
- C. DMA
- D. Manually

Correct Answer: B

QUESTION 22

Which statement is true about configuring users for OMi? (Select three.)

- A. They can assume either an administrator's or an operator's role, but not both.
- B. There needs to be a corresponding user on the OS level.
- C. They are separate from other HP BSM modules' users.
- D. Capabilities on the group level are merged with the individual ones.
- E. Single-sign-on configurations in the HP BSM platform will be honored.
- F. You can export/import them to exchange with other OMi servers.

Correct Answer: DEF

QUESTION 23

How can an OMi user access graphical details of historical load characteristics related to an event?

- A. Select Admin > Operations Management > Service Perspective, and then select the event of interest. In the Actions panel, select the Show Performance Graph item in the list.
- B. Select Applications > Operations Management > Event Perspective, and then select the event of interest. In the Actions panel, select the Show Performance Graph item in the list.
- C. Select Applications > Operations Management > Service Perspective, and then select the event of interest. In the Actions panel, select the Show Performance Graph item in the list.
- D. Select Applications > Operations Management > Performance Perspective, and then select the event of interest. In the Actions panel, select the Show Performance Graph item in the list.

Correct Answer: B

QUESTION 24

When defining a tool, what is a type of run-time parameter that can be inserted into a command?

- A. CI Attributes
- B. Event Settings
- C. HP BSM Host
- D. Management Server Attributes

Correct Answer: A

QUESTION 25

What is the primary reason for associating a tool with a category?

- A. to aid in report creation
- B. to assign tools to CI types
- C. to control access to tools
- D. to sort the list of tools in the operator interface

Correct Answer: C

QUESTION 26

What is a key benefit of OMi?

A. frees up operator time by passing incidents across to subject matter experts

- B. pinpoints who fixed incidents
- C. frees up subject matter experts by de-skilling diagnosis of incidents
- D. shows how quickly incidents were fixed

Correct Answer: C

QUESTION 27

What is a key benefit of TBEC?

- A. to identify the affected CIs
- B. to identify the servers from which the message came
- C. to give the status of affected CIs
- D. to enable the identification of root cause events

Correct Answer: D

QUESTION 28

How does OMi, in ITIL terminology, provide the highest value?

- A. as an incident correlator
- B. as an incident consolidator
- C. as an integration between the CMDB and incidents
- D. as an Operations Bridge

Correct Answer: D

QUESTION 29

For most executives, what is the primary financial driver for investing in OMi?

- A. to enable first line IT operations staff to resolve a larger percentage of technical issues
- B. to enable first line IT operations staff to quickly and seamlessly escalate to the more experienced subject matter experts
- C. to enable experienced subject matter experts to access event information and tools
- D. to enable IT managers to easily determine the effectiveness of each IT operations team member

Correct Answer: A

QUESTION 30

What does OMi in the HP BSM Platform provide?

- A. bottom up analysis from agentry
- B. bottom up analysis from Operations Manager
- C. the link between bottom up and top down analyses
- D. top down analysis of service information

Correct Answer: C

QUESTION 31

In a comprehensive HP BSM deployment, OMi is required to provide which functionality to the BSM solution set?

- A. consolidated view of events received from a wide variety of sources in the IT environment
- B. Top View graphical display of business services and underlying CIs, color-coded based on KPI status
- C. the capability to alert business service owners of performance and threshold breaches
- D. Impact Analysis, based on interdependencies between CIs and preconfigured impact rules

Correct Answer: A

QUESTION 32

Which statement is true about the Health Indicator?

- A. It provides detailed information about the health of the HP BSM server.
- B. It provides the connection between events and KPIs.
- C. It is reset upon closure of an event.
- D. It is synchronized with the domain manager.

Correct Answer: B

QUESTION 33

An HP BSM installation already has an Event Management license deployed. Which additional license is required in order to include a system managed by a third-party (non-HP) management solution, where events are consolidated in OMi?

- A. Target Connector license
- B. Topology-Based Event Correlation license
- C. No additional license is required
- D. Operations Manager license

Correct Answer: A

QUESTION 34

Which panels used by operators to search, select, analyze, and resolve events does the OMi user interface provide by default? (Select three.)

- A. Health Perspective
- B. Event Perspective
- C. System Availability Management
- D. Key Indicator Perspective
- E. Performance Perspective
- F. Service Level Management Perspective

Correct Answer: ABE

QUESTION 35

Why is a Global ID used?

- A. to allow CIs to be mapped to models in the CMDB
- B. to identify the system uniquely
- C. to identify the CI uniquely across the BTO portfolio
- D. to identify the source of Operations Manager messages

Correct Answer: C

QUESTION 36

Which statement is true about Event Type Indicator (ETI) values used in TBEC rules?

- A. ETIs are not used in TBEC rules.
- B. The name and value of the ETI must match those specified in the TBEC rule.
- C. The name of the ETI must match the one specified in the TBEC rule.
- D. The value of the ETI must match one of the values specified in the TBEC rule.

Correct Answer: B

QUESTION 37

An event that has been identified as a "cause" event is closed by an operator, and all of the associated

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- **★ Instant Download** After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.