



HP2-T26^{Q&As}

Servicing HP BladeSystem Solutions

Pass HP HP2-T26 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-t26.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


What is available as part of Advanced Infrastructure management on HP BladeSystems?

- A. automatic installation of HP System Management Homepage
- B. dynamic balancing of physical and logical resources
- C. HP's improved secure SNMP
- D. a single console to display information about multiple devices

Correct Answer: B

QUESTION 2

When installing DDR3 memory DIMMs for Gen8 servers shown, which order of slots should be followed?



- A. No specific slot order is required.
- B. slots A, B, C, D
- C. slots I, J, K, L
- D. slots A, B, L, K

Correct Answer: B



QUESTION 3

Which HP Insight Diagnostics log displays POST errors?

- A. Test Log
- B. Error Log
- C. Integrated Management Log (IML)
- D. Sys Log

Correct Answer: C

QUESTION 4

How often does the Hardware Status Polling task within HP SIM check communications status with all discovered devices?

- A. Servers and non-servers are checked every five minutes
- B. Servers and non-servers are checked every ten minutes
- C. Servers are checked every five minutes; non-servers are checked every ten minutes
- D. Servers are checked every ten minutes; non-servers are checked every five minutes

Correct Answer: B

QUESTION 5

What happens when you mix low-reduced DIMMs (LRDIMM) and unbuffered DIMMs (UDIMM)?

- A. The blade server will not boot up.
- B. The blade server boots up in a loop mode.
- C. The blade server boots up normally if you do not mix the DIMMS in the same bank.
- D. The blade server boots up normally.

Correct Answer: A

QUESTION 6

During HP SIM automatic discovery, many unmanageable systems and systems that do not need to be managed are discovered. What should you do to prevent this from happening?

- A. Power down all unwanted systems prior to the discovery phase so they will not be detected and added to the



database.

- B. After all the systems are discovered, go back and delete the unwanted systems from the database.
- C. Remove the agents from the unwanted systems so HP SIM will reject them during discovery.
- D. Apply a filter to discard any systems that are not required, based on the type of system.

Correct Answer: D

QUESTION 7

Which tool can be used to verify that SNMP events appear in HP SIM from a blade server running Windows 2008?

- A. Onboard Administrator
- B. System Management Homepage
- C. HP SNMP Agent
- D. Integrated Lights-Out

Correct Answer: B

QUESTION 8

What does selecting the Allow Non-Bundled Versions provide in HP SUM?

- A. Other non-bundled products can be added to the bundle.
- B. All products will be updated including other manufacturers firmware and updates will be installed with the bundle.
- C. Old and new firmware files can be added and be installed with the bundle.
- D. All available firmware will be overwritten.

Correct Answer: A

QUESTION 9

A customer has a BL460c Gen8 server. What are the recommended DDR3 memory installation guidelines? (Select three.)

- A. DIMMS of different voltages may not be mixed.
- B. To maximize performance, balance the total memory capacity between all installed processors.
- C. The memory channels must be loaded with the same size memory DIMM.
- D. White DIMM slots should be populated first.



E. If only one processor is installed, only half the DIMM slots are available.

Correct Answer: BDE

QUESTION 10

How many half-height blades can you install in the enclosure shown?

- A. 2
- B. 4
- C. 6
- D. 8

Correct Answer: A

QUESTION 11

Which HP Gen8 Blade Server function constantly records configuration, performance, and optional data?

- A. Active Health
- B. Integrated Management Log
- C. Health Agent
- D. Event Log

Correct Answer: A

QUESTION 12

Which utilities can be used to scan for malware on a Windows server? (Choose two.)

- A. Snort
- B. Ad-Aware
- C. Postfix
- D. Microsoft Network Monitor
- E. Spybot

Correct Answer: BC

QUESTION 13



The customer has a single Onboard Administrator (OA), which needs to be replaced. What should you do before you replace the OA?

- A. Access the OA GUI or CLI and capture a system log.
- B. Telnet or SSH to the OA and collect a showall.txt.
- C. Browse to the OA and collect a script containing a list of the enclosure's current inventory.
- D. Use a USB key and the Insight Display to save the configuration.

Correct Answer: D

QUESTION 14

Which HP ProLiant software tool should you use to deploy an OS to a BL460c Gen8 server?

- A. Array Configuration Utility
- B. Intelligent Provisioning
- C. Systems Management Homepage
- D. SmartStart

Correct Answer: B

QUESTION 15

A customer is experiencing a pre-failure alarm of the UPS Battery on a UPS that is almost one year old. Which statement is correct?

- A. The battery replacement is included in the warranty.
- B. The customer must contact the manufacturer of the battery for replacement.
- C. The battery can be replaced only if the appropriate Care Pack for the UPS has been purchased.
- D. The battery is considered a consumable item and excluded from the warranty or Care Pack. A new battery must be purchased.

Correct Answer: A

[HP2-T26 VCE Dumps](#)

[HP2-T26 Exam Questions](#)

[HP2-T26 Braindumps](#)