



HPE2-N68^{Q&As}

Using HPE Containers

Pass HP HPE2-N68 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-n68.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

You have an Ezmejal Container Platform solution that manages an internally created Kubernetes cluster. The cluster uses AD for its authentication settings, and users can successfully log into the platform with their domain credentials.

You have created a Tenant on the cluster which has the "AI/ML project" setting enabled on it. You have also created a Notebook cluster within that project. However, users receive an error when they try to log into the Notebook endpoint (Jupyter Hub) with their domain credentials.

What should you check?

- A. That the users have a manually created external account that assigns them to the Cluster Admin role in the cluster
- B. That the Notebook cluster has a "cluster" connection to the AD server hostname
- C. That the users have a manually created external account that assigns them to the Admin status in the AI/ML Project
- D. That the Notebook cluster has a "secret" connection with this value: "hpecp-ext-auth- secret"

Correct Answer: A

QUESTION 2

What is one requirement for using the pre-check config rite to install HPE EzmeralContainer Platform v5.2 on a controller host?

- A. You must first install a digital certificate to secure management communications with the host.
- B. The host must pass all the checks run by the pre-check config script.
- C. You must run the standard installation before running the pre-check config file.
- D. The host must run the RHEL operating system because SLE5 is not supported.

Correct Answer: C

QUESTION 3

You want to set up high availability (HA) for the HPE Ezmeral Container Platform control plane. This includes HA for gateways and HA for the platform. You are not planning to use the embedded Ezmeral Data Fabric.

Which hosts will you require at minimum?

- A. Two hosts with 500 GB for ephemeral storage and 500 GB for OS storage Two hosts with 500 GB for OS storage
- B. Three hosts with 500 GB for ephemeral storage and 500 GB for OS storage Two hosts with 500 GB for OS storage
- C. Three hosts with 500 GB for OS storage Two hosts with 500 GB for OS storage and 500 GB for ephemeral storage
- D. Four hosts with 500 GB for OS storage and 500 GB storage for ephemeral storage



Correct Answer: D

QUESTION 4

What is a setting that you are allowed to change after you deploy a Kubernetes cluster?

- A. The number of hosts assigned to a role
- B. The type (data fabric or non-data fabric)
- C. The pod network range
- D. The authentication settings

Correct Answer: A

QUESTION 5

You need to set up email alerts.

When do you need to exec into the Ezmeral Container Platform controller's "epic-nagios" container, as opposed to using the Web UI?

- A. When you want to set a custom source email address for the alerts
- B. When the controller DNS server does not have an entry for the destination email domain
- C. When you want to specify multiple destination email addresses and groups
- D. When you want to send an alert to an SNMP version 3 server

Correct Answer: B

QUESTION 6

You are using native Kubernetes, and you want to deploy three identical containers. What is the recommended way to do so?

- A. Create a deployment object that specifies three replicas of a pod, which defines the desired container settings.
- B. Create a pod object that specifies three separate containers; specify the same settings for each container.
- C. Create one container object. Then specify three instances of that object in a separate pod object.
- D. Create three container objects. For each object specify the same image and settings.

Correct Answer: A

QUESTION 7




You need to enable the AI/ML project option for a Kubernetes tenant on HPE Ezmeral Container Platform. What is a requirement?

- A. That the Kubernetes cluster for the tenant is running Kubernetes version 1.18.6 or above
- B. That the Ezmeral ML Ops Installation package was run on the platform and cluster before the tenant was added
- C. That the platform has enough available Ezmeral ML Ops licenses to match the core quota on the tenant
- D. That the Kubernetes cluster for the tenant has both Spark operator and Istio enabled on it

Correct Answer: C

QUESTION 8

Refer to the exhibit.



You are logged in as a Tenant Admin named "admin 1." You have uploaded a file into the location shown in the exhibit. Now you want to apply that file from the Web Terminal. How do you obtain access to the file in the Web Terminal?

- A. Copy the file to the Web Terminal using the `scp@admin 1 :/TenantShare/apps/` command within the terminal.
- B. Set up a Source Control that references both the Web Terminal and the TenantShare.
- C. Set up a Data Tap between the Web Terminal and the TenantShare/apps directory.
- D. Access the file in the Web Terminal's `"/bd-fs-mnt/TenantShare/apps"` directory.

Correct Answer: C

QUESTION 9

What is the arbiter's role in the HPE Ezmeral Container Platform?



- A. Direct the shadow controller to begin managing the platform if the controller fails
- B. Monitor the gateway and notify the administrator if a critical error occurs
- C. Detect if the controller or shadow controller has failed and begin managing the platform
- D. Load balance requests sent to the controller and shadow controller

Correct Answer: A

QUESTION 10

A company IT department has strict requirements around data protection and wants you to explain how to use the Max Target and Mm Target options for an HPE Ezmeral Data Fabric volume.

What should you explain?

The Max Target sets the desired RAID level for data in the primary volume. The Mm Target sets the desired RAID level for data in associated mirror and snapshot volumes.

- A. The Max Target sets the desired number of replicas for data; the Min Target sets a replica number at which the fabric still tries to reach the Max Target, but less aggressively.
- B. The Max Target and Min Target work together to set the erasure coding level for data in the volume.
- C. The Max Target is the total number of blocks and the Min Target is the total minus redundant blocks.
- C. The Max Target sets the desired number of replicas for "hot" (frequently used) data; the Min Target sets the desired number of replicas for "warm" (less frequently used) data.

Correct Answer: C

[Latest HPE2-N68 Dumps](#)

[HPE2-N68 VCE Dumps](#)

[HPE2-N68 Exam Questions](#)