



# HPE2-T35<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T35 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-t35.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which technology does HPE OneView use to discover HPE ProLiant DL, ML, and the Apollo servers automatically?

- A. IP Hash load balancing
- B. VXLAN discovery
- C. IP range pinging
- D. Management Ring discovery protocol

Correct Answer: C

### QUESTION 2

Refer to the exhibit.

## Add Volume ?

### Volume properties

Capacity	10 GiB
Sharing	Private
	<input checked="" type="checkbox"/> Permanent

### Advanced

Provisioning	Thin
Data protection level	Network RAID IO (2 Way Mirror)
Permit Adaptive Optimization	Yes <input checked="" type="checkbox"/>

Changed Provisioning to 'Thin'

AddAdd +Cancel

A server administrator is creating a new SAN-attached volume as a part of a server profile definition. What will happen to the volume when the server administrator detects the profile two weeks later?



- A. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be kept at the array.
- B. The volume will be deleted from HPE OneView and kept at the StoreVirtual array.
- C. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be removed from the array.
- D. The volume will be deleted from both HPE OneView and the StoreVirtual array.

Correct Answer: B

### QUESTION 3

In addition to the REST client, what is another way to access the HPE REST APIs? (Choose two.)

- A. Native BASH Linux shell
- B. PuTTY client
- C. Windows PowerShell
- D. Unified Extensible Firmware Interface (UEFI)
- E. cURL command line utility

Correct Answer: AE

### QUESTION 4

Match the HPE OneView element to its function.

Select and Place:

#### Answer Area

#### ELEMENT

metric streaming message bus  
(MSMB)

RESTful API

state change message bus  
(SCMB)

#### FUNCTION

Used by message bus consumers  
to carry out CRUD operations

Provide information about  
changes in managed resources

Provide temperature, power, or CPU utilization  
for managed resources

Correct Answer:



### Answer Area

#### ELEMENT


#### FUNCTION

RESTful API	Used by message bus consumers to carry out CRUD operations
state change message bus (SCMB)	Provide information about changes in managed resources
metric streaming message bus (MSMB)	Provide temperature, power, or CPU utilization for managed resources

### QUESTION 5

You assign a server profile to an existing BL Gen 8 server within a managed enclosure with Affinity set to "Device Bay + Server Hardware". What would happen if you replace the server in the enclosure with a new BL Gen 10 server hardware resource?

- A. It will apply the profile if a server with the correct serial number installed.
- B. It will apply the profile if the correct server hardware type is installed.
- C. It will prevent the profile from being applied if a different server is inserted to that bay.
- D. It will prevent the profile if the server is configured with Secure Boot mode in the BIOS.

Correct Answer: D

### QUESTION 6

How does HPE OneView simplify infrastructure management? (Choose two.)

- A. Manages physical servers and virtual machines.
- B. Provides unified platform that supports management across compute, storage, and fabric.
- C. Provides integrations with 3rd Party infrastructure automation tools through an API driven interface.
- D. Provides industry leading infrastructure security through Silicon Root of Trust.

Correct Answer: BC

### QUESTION 7

Refer to the exhibit.



	Value
Name	ProdNet 100
VLAN ID	100
Type	Tagged

What is the PowerShell command to create an Ethernet Network resource?

- A. `Get-HPOVNetwork -Name "ProdNet 100" | New-HPOVServerProfileConnection -ConnectionID 1 -Name "ProdNet 100"`
- B. `New-HPOVUplinkSet -Name "ProdNet 100" -Networks (Get-HPOVNetwork -Name "ProdNet100")`
- C. `New-HPOVNetwork -Name "ProdNet 100" -VlanId 100`
- D. `New-HPOVNetworkSet -Name "ProdNet 100"`

Correct Answer: C

#### QUESTION 8

Refer to the exhibit.



## [-] Request

Method  ▾ URL  ☆ ▾

### Headers

X-API-Version: 500 ✕ Content-Type: //application/json ✕

### Body

```
{"userName": "administrator", "password": "iloverest", "authDomain": "LOCAL"}
```

## [-] Response

Headers Response Preview

```
1 {"errorSource":null,"nestedErrors":[],"errorCode":"GENERIC_HTTP_403","data":{"recommendedActions":["Check the request URI, then resend the request."],"details":"You are allowed to access the requested resource."},"message":"Forbidden"}
```

A server administrator using the REST API is troubleshooting the error seen in the exhibit. What needs to be fixed in the command?

- A. add the missing authentication token to the header
- B. change http to https in the URL
- C. change the "login-sessions" string in the URL to "login-session"
- D. change the POST method to PUT

Correct Answer: D

### QUESTION 9

You need to add an HPE ProLiant DL380 Gen10 server to the HPE OneView appliance for monitoring. Which information is required to complete this task? (Choose two.)

- A. iLO credentials
- B. Enclosure Group name
- C. firmware baseline
- D. iLO IP address
- E. HPE OneView Advanced license



Correct Answer: CE

**QUESTION 10**

A customer has a four node ESXi cluster. They update drivers via vCenter Update Manager and want to use HPE OneView Server Profile Templates to update the firmware while the systems are online. In the Installation Method option area in the exhibit, click on the correct choice.

Hot Area:

**Edit** ESXi on BL460c Gen9 Server Profile ▾

**Server Profile**

**Firmware**

Firmware baseline

Force installation

Installation Method  Firmware and OS Drivers using Smart Update Tools  
 Firmware only using Smart Update Tools  
 Firmware only

Activate firmware  Immediately  At a scheduled date and time  Not scheduled

**Connections**

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

Correct Answer:



**Edit** ESXi on BL460c Gen9 Server Profile ▾

### Server Profile

#### Firmware

Firmware baseline

Force installation

Installation Method  Firmware and OS Drivers using Smart Update Tools

Firmware only using Smart Update Tools

Firmware only

Activate firmware  Immediately  At a scheduled date and time  Not scheduled

#### Connections

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK

Cancel

[HPE2-T35 VCE Dumps](#)

[HPE2-T35 Study Guide](#)

[HPE2-T35 Exam Questions](#)