



HQT-4120^{Q&As}

Hitachi Vantara Qualified Professional VSP G200 to VSP G800 Storage Installation





Pass Hitachi HQT-4120 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hqt-4120.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are installing six VSP Gx00 systems at a customer site.

Which tool allows you to apply the licenses to all the systems at the same time?

- A. Initial Setup Tool
- B. Device Manager - Storage Navigator
- C. SVP Web Console
- D. HCS License Key Management System

Correct Answer: A

QUESTION 2

Which two messaging methods can be enabled in the Maintenance Utility of the VSP Gx00 series? (Choose two.)

- A. SMS
- B. Email
- C. SNMP
- D. Hi-Track

Correct Answer: BC

QUESTION 3

Which two actions can be performed with the Block Element Manager (BEM) on the VSP Gx00 series? (Choose two.)

- A. Generate a configuration report.
- B. Configure the SVP.
- C. Generate license keys.
- D. Set front-end port parameters.

Correct Answer: AD

QUESTION 4

What are two requirements for SVP connectivity on the VSP Gx00 series? (Choose two.) Choose 2 answers

- A. One Ethernet connection to the customer's network.



- B. At least one 1000BASE-SX optical connection to the customer's network.
- C. One iSCSI connection from each controller to separate LAN ports on the SVP.
- D. A static IP address for the SVP that is on the same network segment as the storage system.

Correct Answer: AD

QUESTION 5

What are two prerequisites for the Initial Installation of a VSP G400? (Choose two.)

- A. The SVP must be connected to the customer network.
- B. The controllers must be assembled and cabled to the SVP.
- C. Microsoft Vista must be installed on the Maintenance PC (MPC).
- D. The microcode media (CDROM or ISO image) must be available.

Correct Answer: BD

QUESTION 6

What are two supported back-end transfer speeds on the VSP Gx00 series? (Choose two.) Choose 2 answers

- A. 4 Gb/S
- B. 6 Gb/s
- C. 8 Gb/s
- D. 12 Gb/s

Correct Answer: BD

QUESTION 7

From which two locations can the Maintenance Utility be Invoked on a VSP G800? (Choose two.)

- A. the SVP Web Console
- B. Hitachi Command Suite (HCS)
- C. Hitachi Infrastructure Director (HID)
- D. MPC connected to the Maintenance LAN port on the array

Correct Answer: BD



QUESTION 8

Which model of the VSP Gx00 series can be upgraded to another VSP Gx00 model?

- A. VSP G200
- B. VSP G400
- C. VSP G600
- D. VSP G800

Correct Answer: B

QUESTION 9

Which two Channel Blade types are supported on the VSP Gx00 series? (Choose two.)

- A. FC
- B. SAS
- C. iSCSI
- D. FICON

Correct Answer: AC

QUESTION 10

Which two parts replacement methods are supported in the VSP Gx00 series? (Choose two.)

- A. local
- B. direct
- C. remote
- D. indirect

Correct Answer: BD

[HQT-4120 VCE Dumps](#)

[HQT-4120 Practice Test](#)

[HQT-4120 Study Guide](#)