



# JN0-334<sup>Q&As</sup>

Security-Specialist (JNCIS-SEC)

**Pass Juniper JN0-334 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-334.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are asked to convert two standalone SRX Series devices to a chassis cluster deployment. You must ensure that your IPsec tunnels will be compatible with the new deployment.

In this scenario, which two interfaces should be used when binding your tunnel endpoints? (Choose two.)

- A. pp0
- B. reth
- C. lo0
- D. ge

Correct Answer: BD

---

**QUESTION 2**

You want to use Sky ATP to protect your network; however, company policy does not allow you to send any files to the cloud.

Which Sky ATP feature should you use in this situation?

- A. Only use on-premises local Sky ATP server anti-malware file scanning.
- B. Only use cloud-based Sky ATP file hash lookups.
- C. Only use on-box SRX anti-malware file scanning.
- D. Only use cloud-based Sky ATP file blacklists.

Correct Answer: B

---

**QUESTION 3**

How many nodes are configurable in a chassis cluster using SRX Series devices?

- A. 2
- B. 4
- C. 6
- D. 8

Correct Answer: A

---



**QUESTION 4**


The DNS ALG performs which three functions? (Choose three.)

- A. The DNS ALG performs the IPv4 and IPv6 address transformations.
- B. The DNS ALG performs DNS doctoring.
- C. The DNS ALG modifies the DNS payload in NAT mode.
- D. The DNS ALG performs DNSSEC.
- E. The DNS ALG performs DNS load balancing.

Correct Answer: ABC

**QUESTION 5**

Click the Exhibit button.



You need to have the JATP solution analyzer .jar, .xls, and .doc files.

Referring to the exhibit, which two file types must be selected to accomplish this task? (Choose two.)



- A. Java
- B. library
- C. document
- D. executable

Correct Answer: BC

---

#### QUESTION 6

What are two types of collectors for the JATP core engine? (Choose two.)

- A. SNMP
- B. e-mail
- C. Web
- D. telemetry

Correct Answer: BC

---

#### QUESTION 7

What is the default session timeout value for ICMP and UDP traffic?

- A. 30 seconds
- B. 30 minutes
- C. 60 seconds
- D. 5 minutes

Correct Answer: C

---

#### QUESTION 8

Which two statements describe SSL proxy on SRX Series devices? (Choose two.)

- A. SSL proxy supports TLS version 1.2.
- B. Client-protection is also known as reverse proxy.



- C. SSL proxy is supported when enabled within logical systems.
- D. SSL proxy relies on Active Directory to provide secure communication.

Correct Answer: AC

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-user-auth-ssltls.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-ssltls.html)

---

### QUESTION 9

What are three primary functions of JATP? (Choose three.)

- A. detection
- B. encryption
- C. optimization
- D. analytics
- E. mitigation

Correct Answer: ADE

---

### QUESTION 10

You want to support reth LAG interfaces on a chassis cluster.

What must be enabled on the interconnecting switch to accomplish this task?

- A. RSTP
- B. 802.3ad
- C. LLDP
- D. swfab

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-chassis-clusterredundant-ethernet-lag-interfaces.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-chassis-clusterredundant-ethernet-lag-interfaces.html)

---

### QUESTION 11

Which two statements describe superflows in Juniper Secure Analytics? (Choose two.)

- A. JSA only supports Type A and Type C superflows.



- B. Superflows can negatively impact licensing limitations.
- C. Disk space usage is reduced on the JSA device.
- D. Superflows combine many flows into a single flow.

Correct Answer: CD

---

#### QUESTION 12

What is the correct step sequence used when Sky ATP analyzes a file?

- A. static analysis -> cache lookup -> antivirus scanning -> dynamic analysis
- B. cache lookup -> static analysis -> antivirus scanning -> dynamic analysis
- C. cache lookup -> antivirus scanning -> static analysis -> dynamic analysis
- D. dynamic analysis -> static analysis -> antivirus scanning -> cache lookup

Correct Answer: C

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/sky-atp/informationproducts/pathway-pages/sky-atp-admin-guide.pdf](https://www.juniper.net/documentation/en_US/release-independent/sky-atp/informationproducts/pathway-pages/sky-atp-admin-guide.pdf) page 9

---

#### QUESTION 13

You want to deploy vSRX in Amazon Web Services (AWS) virtual private clouds (VPCs). Which two statements are true in this scenario? (Choose two.)

- A. The vSRX devices serving as local enforcement points for VPCs can be managed by a centralized Junos Space Network Director instance.
- B. MPLS LSPs can be used to connect vSRXs in different VPCs.
- C. IPsec tunnels can be used to connect vSRX in different VPCs.
- D. The vSRX devices serving as local enforcement points for VPCs can be managed by a centralized Junos Space Security Director instance.

Correct Answer: CD

---

#### QUESTION 14

Which feature is used when you want to permit traffic on an SRX Series device only at specific times?

- A. scheduler



B. pass-through authentication

C. ALGs

D. counters

Correct Answer: A

## QUESTION 15

Click the Exhibit button.

**Create Threat Prevention Policy**

Name \*

Description

**Profiles**

Include C&C profile in policy

Include infected host profile in policy  
Select an action to apply to infected hosts

**Actions**

Include malware profile in policy

**HTTP File Download**

Select a file scanning device profile and threat score range to apply to HTTP and HTTPS traffic.

Referring to the exhibit, which statement is true?

- A. Hosts are always able to communicate through the SRX Series device no matter the threat score assigned to them on the infected host feed.
- B. Hosts are unable to communicate through the SRX Series device after being placed on the infected host feed with a high enough threat score.
- C. Malicious HTTP file downloads are never blocked.
- D. Malicious HTTP file downloads are always blocked.



Correct Answer: B

[JN0-334 Practice Test](#)

[JN0-334 Study Guide](#)

[JN0-334 Braindumps](#)