



# JN0-450<sup>Q&As</sup>

Mist AI Specialist (JNCIS-MistAI)

**Pass Juniper JN0-450 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-450.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which statement is correct about wireless assurance?


- A. Wireless assurance is a legacy WLAN construct that is difficult to use.
- B. Wireless assurance can be used to proactively optimize WLAN performance.
- C. Wireless assurance is used by clients to ensure that a Wi-Fi connection is stable and reliable before joining.
- D. Wireless assurance does not require a subscription.

Correct Answer: B

Reference: <https://www.juniper.net/us/en/products/cloud-services/wi-fi-assurance.html>

### QUESTION 2

You received reports of users not being able to access network resources all day. You know that your network has two DHCP Servers: 10.7.0.24 and 10.1.0.24. Referring to the exhibit, what do you determine?



- A. DHCP is not the cause of the network connectivity issue.
- B. There is a rogue DHCP server 10.10.10.10 handing out DHCP leases on your network.
- C. More information is required.
- D. The network's DHCP servers are offline.

Correct Answer: C

Reference: <https://www.mist.com/documentation/useful-marvis-queries/>



### QUESTION 3

Which statement is correct about Marvis?

- A. Marvis handles the on-boarding process for WLANs using third-party APs.
- B. Marvis is a module that facilitates WLAN automation tasks using API information.
- C. Marvis is an AI engine that assists administrators with troubleshooting problems using AI.
- D. Marvis is the user interface used to manage virtual machines.

Correct Answer: C

Reference: <https://www.juniper.net/us/en/products/cloud-services/virtual-network-assistant.html>

---

### QUESTION 4

The Mist cloud dashboard indicates that an AP does not have an IP address. In this scenario, which statement is correct?

- A. The Mist AP used its built-in LTE radio to inform the Mist cloud that it did not have an IP address.
- B. The Mist cloud pro-actively checks-in with each AP to gather this type of information.
- C. The Mist AP used BLE advisement to inform a neighboring Mist AP that it did not have an IP address, the neighboring AP then informed the Mist cloud.
- D. The AP used the MIST RESTful API to inform the Mist cloud it did not have an IP address.

Correct Answer: B

---

### QUESTION 5

Which statement is correct regarding the Mist UI?

- A. The Mist UI is used to manage network devices.
- B. The Mist UI is used to distribute routes between your wireless and physical networks.
- C. The Mist UI is used by clients to connect to wireless networks.
- D. The Mist UI is used by cloud providers to provision VMs.

Correct Answer: A

---

### QUESTION 6

How is the WLAN affected if Wi-Fi 6 is disabled?



- A. The maximum theoretical data rate is reduced.
- B. No Wi-Fi 6 clients will be able to connect.
- C. All clients will connect using Wi-Fi 5.
- D. No 802.11ax clients will be able to connect.

Correct Answer: D

Reference: <https://www.mist.com/documentation/disable-wifi-6/>

---

### QUESTION 7

Which three switch testing tools are available when using Wired Assurance? (Choose three.)

- A. bounce port
- B. iPerf
- C. ping
- D. load factory-default
- E. cable test

Correct Answer: ACE

Reference: <https://www.mist.com/documentation/switch-testing-tools/>

---

### QUESTION 8

What is the purpose of the PoE pass-through on a Mist AP?

- A. to daisy chain BT11s
- B. to power a laptop during the deployment phase
- C. to power any Mist AP
- D. to power the Mist AP43 only

Correct Answer: A

Reference: <https://www.mist.com/documentation/daisy-chain-access-points/>

---

### QUESTION 9

What is the purpose of a Probe Request frame?



- A. to discover all clients associated to a particular WLAN
- B. to discover all WLAN devices on a particular channel
- C. to discover available WLANs
- D. to associate to a WLAN

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/junos-space-apps/network-director3.1/topics/concept/wireless-scanning.html](https://www.juniper.net/documentation/en_US/junos-space-apps/network-director3.1/topics/concept/wireless-scanning.html)

---

### QUESTION 10

Which statement is correct about Mist's location-based services?

- A. Location services are used to track client movements that are connected to the Mist WLANs.
- B. Location services are used to identify the location of cloud-based services.
- C. Location services are used by clients to identify which SSIDs are available on the site.
- D. Location services are used to identify the geographical location of corporate buildings.

Correct Answer: A

Reference: <https://www.mist.com/resources/mist-platform-solution-brief/>

---

### QUESTION 11

What are three ways to claim an AP? (Choose three.)

- A. Enter the order ID.
- B. Enter the AP serial number.
- C. Enter the activation code.
- D. Use the Mist AI application.
- E. Enter the AP claim code.

Correct Answer: CDE

Reference: <https://www.mist.com/documentation/claiming-aps/>

---

### QUESTION 12

Which two statements are correct about switch adoption? (Choose two.)



- A. Greenfield switch adoption requires cloud-enabled switches with a claim or activation code.
- B. Switch adoption uses SSH over TCP port 443.
- C. Switch adoption requires Mist AP.
- D. Brownfield switch adoption requires manual adoption and is used for switches that do not have a claim or activation code.

Correct Answer: AD

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/nce/topics/example/nce177-day0-mist-with-ex-switches.html](https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/nce177-day0-mist-with-ex-switches.html)

---

### QUESTION 13

What is a prerequisite for AP-name generation under auto-provisioning?

- A. The LLDP system name should be configured on the switch ports.
- B. The AP must have the default name of "mist"
- C. The LLDP description should be configured on the switch ports.
- D. The AP must be connected to a Juniper EX Series switch.

Correct Answer: C

Reference: <https://www.mist.com/documentation/auto-provisioning/>

---

### QUESTION 14

You want to force a guest portal user to re-authenticate to the wireless LAN. Using the Mist UI, which command will accomplish this task?

- A. release AP
- B. reconnect
- C. auto upgrade
- D. reauthorize

Correct Answer: B

Reference: <https://www.mist.com/documentation/difference-reconnect-reauthorize/#:~:text=Almost%20all%20devices%20connect%20right,only%20to%20already%20authorized%20guests.andtext=Then%2C%20only%20guests%20who%20know,to%20use%20the%20guest%20WLAN>

---

### QUESTION 15



What does Mist's patented 16-element vBLE Antenna Array do when "engagement" is enabled?

- A. performs radio resource management
- B. locates Wi-Fi assets
- C. transmits unique and directional BLE beams
- D. performs personal pre-shared key sharing

Correct Answer: C

Reference: <https://www.mist.com/resources/ap61-access-point/>

[Latest JN0-450 Dumps](#)

[JN0-450 Practice Test](#)

[JN0-450 Braindumps](#)