



JN0-634^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-634.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which IDP rule configuration will send an RST to any new session that meets the action criteria?

- A. ip-action block
- B. action close-client-and-server
- C. ip-action close
- D. action drop-connection

Correct Answer: C

QUESTION 2

Which three components are part of the AppSecure services suite? (Choose three.)

- A. IDP
- B. Sky ATP
- C. AppQoS
- D. AppFW
- E. Web filtering

Correct Answer: ACD

QUESTION 3

What are three components of Software-Defined Secure Networks? (Choose three.)

- A. Contrail
- B. Sky ATP
- C. SRX Series device
- D. Security Director
- E. Network Director

Correct Answer: BCD

QUESTION 4

Which Junos security feature is used for signature-based attack prevention?



- A. RADIUS
- B. AppQoS
- C. IPS
- D. PIM

Correct Answer: C

QUESTION 5

Which interface family is required for Layer 2 transparent mode on SRX Series devices?

- A. LLDP
- B. Ethernet switching
- C. inet
- D. VPLS

Correct Answer: B

QUESTION 6

Which browser is supported by Security Director with Logging and Reporting?

- A. Firefox
- B. Agora
- C. PowerBrowser
- D. Mosaic

Correct Answer: A

QUESTION 7

Click the Exhibit button.



```
[edit security utm]
user@host# show
feature-profile {
    content-filtering {
        profile web-traffic-profile {
            block-content-type {
                zip;
            }
        }
    }
}
utm-policy utm-web-policy {
    content-filtering {
        http-profile web-traffic-profile;
    }
}
```

The UTM policy shown in the exhibit has been applied to a security policy on a branch SRX Series device. In this scenario, which statement is true?

- A. HTTP downloads of ZIP files will be blocked.
- B. FTP downloads of ZIP files will be blocked.
- C. E-mail downloads of ZIP files will be blocked.
- D. ZIP files can be renamed with a new extension to pass through the filter.

Correct Answer: A

QUESTION 8

Click the Exhibit button.



```
[edit: security policies global policy int-FW]
user@host# show
match {
    source-address any;
    destination-address any;
    application any;
}
then {
    permit;
}

user@host> show security user-identification local-authentication-table all

user@host>
```

You have configured integrated user firewall on the SRX Series devices in your network. However, you noticed that no users can access the servers that are behind the SRX Series devices.

Referring to the exhibit, what is the problem?

- A. The Kerberos service is not configured correctly on the Active Directory server.
- B. There are no authentication entries in the SRX Series device for the users.
- C. The security policy on the SRX Series device is configured incorrectly.
- D. The SAML service is not configured correctly on the Active Directory server.

Correct Answer: C

QUESTION 9

Click the Exhibit button.



```
[edit]
user@host# show security application-tracking
first-update-interval 1;

[edit]
user@host# show security zones security-zone trust
tcp-rst;
host-inbound-traffic {
    system-services {
        all;
    }
}
interfaces {
    ge-0/0/2.0;
}
application-tracking;
```

Referring to the exhibit, how many AppTrack logs will be generated for an HTTP session lasting 12 minutes?

- A. 4
- B. 2
- C. 1
- D. 3

Correct Answer: A

QUESTION 10

Your network includes SRX Series devices at all headquarter, data center, and branch locations. The headquarter and data center locations use high-end SRX Series devices, and the branch locations use branch SRX Series devices. You are asked to deploy IPS on the SRX Series devices using one of the available IPS deployment modes.

In this scenario, which two statements are true? (Choose two.)

- A. Inline tap mode provides enforcement.
- B. Inline tap mode can be used at all locations.
- C. Integrated mode can be used at all locations.
- D. Integrated mode provides enforcement.

Correct Answer: CD



QUESTION 11

You are configuring transparent mode on an SRX Series device. You must permit IP-based traffic only, and BPDUs must be restarted to the VLANs from which they originate.

Which configuration accomplishes these objectives?

- A. `bridge { block-non-ip-all; bpdu-vlan-flooding; }`
- B. `bridge { block-non-ip-all; bypass-non-ip-unicast; no-packet-flooding; }`
- C. `bridge { bypass-non-ip-unicast; bpdu-vlan-flooding; }`
- D. `bridge { block-non-ip-all; bypass-non-ip-unicast; bpdu-vlan-flooding; }`

Correct Answer: A

QUESTION 12

After using Security Director to add a new firewall policy rule on an SRX Series device, you notice that the hit count on the policy is not increasing. Upon further investigation, you find that the devices listed in the new rule are able to communicate as expected. Your firewall policy consists of hundreds of rules.

Using only Security Director, how do you find the rule that is allowing the communication to occur in this scenario?

- A. Generate a Top Firewall Rules report.
- B. Generate a Policy Analysis report.
- C. Generate a Top Source IPs report.
- D. Generate a Top Firewall Events report.

Correct Answer: D

QUESTION 13

Your network includes SRX Series devices at the headquarters location. The SRX Series devices at this location are part of a high availability chassis cluster and are configured for IPS. There has been a node failover.

In this scenario, which statement is true?

- A. Existing sessions continue to be processed by IPS because of table synchronization.
- B. Existing sessions are no longer processed by IPS and become firewall sessions.
- C. Existing session continue to be processed by IPS as long as GRES is configured.
- D. Existing sessions are dropped and must be reestablished so IPS processing can occur.

Correct Answer: A

**QUESTION 14**

What is the required when deploying a log collector in Junos Space?

- A. root user access to the log collector
- B. a shared log file directory on the log collector
- C. the IP address of interface eth1 on the log collector
- D. a distributed deployment of the log collector nodes

Correct Answer: A

QUESTION 15

Click the Exhibit button.

```
user@host# show security idp
idp-policy base-policy {
  rulebase-ips {
    rule R1 {
      match {
        from-zone trust;
        source-address any;
        to-zone untrust;
        destination-address any;
        application default;
        attacks {
          predefined-attack-groups HTTP-Critical;
        }
      }
      then {
        action {
          mark-diffserv {
            10;
          }
        }
      }
    }
  }
}
```

Referring to the security policy shown in the exhibit, which two actions will happen as the packet is processed? (Choose two.)

- A. It passes unmatched traffic after modifying the DSCP priority.



- B. It marks and passes matched traffic with a high DSCP priority.
- C. It marks and passes matched traffic with a low DSCP priority.
- D. It passes unmatched traffic without modifying DSCP priority.

Correct Answer: BD

[JN0-634 VCE Dumps](#)

[JN0-634 Exam Questions](#)

[JN0-634 Braindumps](#)