



# JN0-740<sup>Q&As</sup>

ACX, Specialist (JNCIS-ACX)

## Pass Juniper JN0-740 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-740.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When managing a NetScreen device using the CLI and performing an image upgrade, from which hardware component will the ScreenOS image NOT be loaded?

- A. TFTP server
- B. PC local disk
- C. Internal Flash
- D. PCMCIA Card
- E. Compact Flash Card

Correct Answer: B

---

**QUESTION 2**

Which two steps are required for MIP configuration? (Choose two.)

- A. Define the MIP.
- B. Define the MIP ports.
- C. Configure the MIP policy.
- D. Configure the MIP interface.

Correct Answer: AC

---

**QUESTION 3**

You want to minimize the number of IP addresses and subnets in use. How should you configure your tunnel interface?

- A. Configure the tunnel interface with an IP address with a 32 bit subnet mask
- B. Configure the tunnel interface with an IP address with a 30 bit subnet mask
- C. Configure the tunnel interface as unnumbered and place the interface in the same zone as the designated interface
- D. Configure the tunnel interface as unnumbered, but place the tunnel interface in a different zone than the designated interface

Correct Answer: C

---

**QUESTION 4**

You have a host that is assigned an IP from a private address space, but needs to access systems within the public



address space.

Which form of NAT should you use to minimize configuration requirements?

- A. VIP
- B. MIP
- C. NAT-dst
- D. NAT-src

Correct Answer: D

### QUESTION 5

You have one VIP configured on your device, using public address 191.111.222.5. When you configure the policy, what will you select for the VIP, and where will you select it?

- A. VIP::1 in the NAT-dst public field
- B. VIP::1 as the destination address
- C. VIP(191.111.222.5) in the NAT-dst public field
- D. VIP(191.111.222.5) as the destination address

Correct Answer: B

### QUESTION 6

-- Exhibit -

```
ssg-550-> get policy
Total regular policies 5, Default deny.
ID From      To      Src-address  Dst-address  Service Action State  ASTLCB
 1 Private   Public  Any          1.1.70.0/24  ANY      Permit enabled -----X
 2 Private   Public  10.1.10.16/28 1.1.70.200/32 FTP      Permit enabled -----X
 3 Private   Public  10.1.10.18/32 1.1.70.200/32 ANY      Permit enabled -----X
 4 Private   Public  Any          1.1.70.100/24 HTTP     Deny     enabled -----X
 5 Private   Public  10.1.10.0/24  1.1.70.0/24  FTP      Deny     enabled -----X
```

-- Exhibit -Click the Exhibit button.

Which ScreenOS CLI command would allow all policies in the exhibit to match traffic?

- A. set policy 4 before 1
- B. exec policy 4 before 1
- C. insert policy 4 before 1
- D. set policy move 4 before 1



Correct Answer: D

---

#### QUESTION 7

What is the largest number of entries that can be entered into the source, destination, or service fields of a multi-cell policy configured on an NS-5GT device?

- A. 8
- B. 16
- C. 24
- D. 32

Correct Answer: D

---

#### QUESTION 8

You want to configure the NetScreen Remote client to use a preshared key. You select the "My Identity" configuration screen but you cannot find the option. What could be causing the problem?


- A. You have to set the "Select Certificate" option to none
- B. You have to set the "ID type" option to Pre-Shared key
- C. NetScreen Remote does not support the use of Pre-Shared key
- D. "My identity" is not the right tab. It needs to be configured under the Security Proposal Section

Correct Answer: A

---

#### QUESTION 9

-- Exhibit --- Exhibit -Click the Exhibit button to view the exhibit. Refer to the exhibit. Which elements below would you configure to provide fixed-port translation for traffic



leaving the corporate network, destined for the Internet?

- A. fixed-port DIP on E8
- B. Global NAT-src policy
- C. fixed-port DIP on both E1 and E2
- D. MIP from Corporate to Internet zones
- E. NAT-src from Corporate to Internet zones

Correct Answer: AE

### QUESTION 10

You want to minimize the number of IP addresses, subnets, and policies in use. How should you configure your tunnel interface?

- A. Configure the tunnel interface with an IP address with a 32-bit subnet mask.
- B. Configure the tunnel interface with an IP address with a 30-bit subnet mask.
- C. Configure the tunnel interface as unnumbered and place the interface in the same zone as the designated interface.



D. Configure the tunnel interface as unnumbered, but place the tunnel interface in a different zone than the designated interface.

Correct Answer: C

---

#### QUESTION 11

You are looking at the event log of the initiating device and it says: Received notify message for DOI . What is the problem?

- A. Phase 2 PFS failure
- B. Phase 1 gateway failure
- C. Phase 1 proposal mismatch
- D. Phase 2 proposal mismatch

Correct Answer: D

---

#### QUESTION 12

You are trying to remove an address book entry by going to the Address Book->List display of the Web UI, but you cannot find the remove option. What would cause this problem?

- A. An address book entry can only be deleted from the command line interface. You will need to use the CLI to delete it.
- B. The address book entry is misconfigured. You need to correct the address book entry before it will allow you to delete it.
- C. You cannot remove an address book entry from this screen. You need to use the delete option found under the management options screen
- D. The address book entry is being used by a policy. You must delete the policy or remove the address book entry from the policy before it can be deleted.

Correct Answer: D

---

#### QUESTION 13

Which type of NAT is performed when you implement interface-based NAT?

- A. source IP address translation
- B. destination IP address translation
- C. source IP and port address translation
- D. destination IP and port address translation



Correct Answer: C

---

#### QUESTION 14

-- Exhibit -



-- Exhibit -Click the Exhibit button to view the exhibit.

What does this icon indicate?

- A. Logging is enabled on a policy
- B. Counters are enabled on a policy
- C. Scheduling is enabled on a policy
- D. Authentication is enabled on a policy
- E. Address translation is enabled on a policy

Correct Answer: A

---

#### QUESTION 15

When adding an address book entry for a host, which mask should be used?

- A. 0.0.0.0
- B. 255.255.255.0
- C. 255.255.255.255
- D. the host's subnet mask i.e., 255.255.255.224

Correct Answer: C

[JN0-740 PDF Dumps](#)

[JN0-740 VCE Dumps](#)

[JN0-740 Braindumps](#)