



# JPR-961<sup>Q&As</sup>

Juniper Networks Certified Internet Expert (JNCIE-SP)

## Pass Juniper JPR-961 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jpr-961.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The ABC.com network consists of a single Active Directory domain named ABC.com.

You deploy an enterprise certification authority (CA) on a Windows Server computer named ABC-CA1. The primary purpose of the CA is issue company users with digital certificates to enable them to authenticate with the new company Intranet website. You create a new certificate template named Web Authentication. You enable the Web Authentication certificate template on ABC-CA1 and configure the default domain group policy so that users who log on to the domain receive a Web

Authentication certificate.

The following morning users complain that they do not have certificates which can be used to authenticate to the Intranet Web site.

How can you ensure the users are issued with a certificate?

- A. By configuring ABC-CA1 to be an Enterprise Subordinate CA of a public CA such as Verisign.
- B. By modifying the permissions of the Web Authentication certificate template to give the Domain Users group the Allow

Correct Answer: B

---

**QUESTION 2**

Your network is running three DNS servers, NS1, NS2, and NS3. NS1 is running Windows Server, whereas NS2 and NS3 are still running Windows NT 4.0. In reviewing the error log on NS1, you notice an error that lists NOTIMPL(4) being returned by NS3. What does this error indicate?

- A. NS3 does not support extended DNS (EDNS0).
- B. NS1 does not support extended DNS (EDNS0).
- C. The OPT record received from NS3 contained an illegal Time-To-Live.
- D. The OPT record needs to be added to all three name servers.

Correct Answer: A

---

**QUESTION 3**

Your firm is designing a new software driver that will employ a proprietary method of flow control for data being sent across a network medium. On which layer of the OSI model would be this flow control likely be implemented?

- A. Application
- B. Data Link
- C. Transport



D. Media Access Control

Correct Answer: B

---

#### QUESTION 4

You are working as the administrator at ABC.com. The ABC.com network consists of a single Active Directory domain named ABC.com. The ABC.com network contains a DMZ that contains a two-node Network Load Balancing cluster, which

is located in a data centre that is physically impenetrable to unauthorized persons.

The cluster servers run Windows Server Web Edition and host an e-commerce website. The NLB cluster uses a virtual IP address that can be accessed from the Internet.

What can you do to mitigate the cluster's most obvious security vulnerability?

- A. Configure the cluster to require IPsec.
- B. Configure the network cards to use packet filtering on all inbound traffic to the cluster.
- C. Use EFS on the server hard disks.
- D. Configure intrusion detection the servers on the DMZ.
- E. Configure Mac addressing on the servers in the DMZ.

Correct Answer: B

---

#### QUESTION 5

You are using WINS Forward Lookup integration in your mixed UNIX/Windows environment to allow your DNS-only UNIX clients to use only their configured Windows Server DNS server to query and resolve resolution requests for downlevel Windows NT 4.0 machines

Correct Answer: D

---

#### QUESTION 6

You work as It Admin at ABC.com. The ABC.com network consists of a domain named ABC.com. The servers at the ABC.com network run Windows Server. The ABC.com network has a file server named ABC-SR18. ABC-SR18 hosts shared folders.

During your routine monitoring, you notice that ABC-SR18 has a connectivity issue. To investigate further you run Network Monitor, but notices that during capturing, network packets were dropped.

What actions must you take to minimize the dropping of packets while monitoring ABC-SR18?

- A. You should configure a persistent demand-dial connection.



- B. You should configure a persistent demand-dial connection.
- C. You should use dedicated capture mode when utilizing the Network Monitor.
- D. You should select the Do not overwrite events option in the Event Viewer.

Correct Answer:

---

#### QUESTION 7

You are the security administrator for your company. The company's network supports 500 users. All network server computers run Windows Server. All network client computers run Windows XP Professional. All domain account logon events are audited.

A human resources manager requests that you produce a listing of the times and dates a user named JohnP logged on to the domain. The user was assigned to a client computer named HR09.

You should achieve this objective while reviewing the minimum amount of information. What should you do? (Choose two. Each correct answer presents part of the solution.)

- A. Create a filter that will list all events for the JohnP user account.
- B. Use the Find option to list only the events for the JohnP user account.
- C. Open Event Viewer and access the security log on each domain controller.
- D. Use the Find option to list only the events for the HR09 computer account.
- E. Create a filter that will list only the events for the HR09 computer account.
- F. Log onto HR09 as a local administrator, and open Event Viewer to view the local security log.

Correct Answer: AC

---

#### QUESTION 8

You have recently added a Windows Server Web Edition system to your company's private network. The server is used to host the company's private Web site. Users are complaining that response time is often slow. You want to analyze the

traffic coming to and from the Web server.

What should you do?

- A. Open Task Manager and use the Networking tab to gather network statistics.
- B. Open System Monitor to capture and analyze network traffic.
- C. Open Network Diagnostics to analyze the traffic coming to and from the Web server.
- D. Install Network Monitor on the Web server to capture and analyze network traffic.



Correct Answer: D

---

### QUESTION 9

As the network administrator, Kristy decides to implement the ability for clients to dial-in to the network to allow them the option to work from home if they want to, by installing and configuring an RRAS server. Kristy's internal network consists

of a Windows 2000 domain, a single DNS and WINS server, multiple segmented broadcast domains, and a single DHCP server, configured to distribute the following information via four different IP address scopes:

DNS Server (local option)

Router (local option)

WINS Server (local option)

Node Type (global option)

Domain Name (global option)

ARP Timeout (local)

Kristy installs her RRAS server and configures the DHCP Relay Agent to point to the only internal DHCP server. She then configures a fifth DHCP scope to accommodate the DMZ network into which she has installed her RRAS server. Kristy

hopes to be able to offer both internal Web mail and resource access to her NT 4.0 file server in the same way she is able to successfully offer it now to only internal users. Kristy composes an e-mail with detailed instructions on how to set up

her Windows ME laptop users with the correct VPN settings to dial-in the company RRAS server. With the e-mail, Kristy asks for feedback as to ease of installation, setup, connectivity, speed, resource access, and so on. A few days later,

Kristy receives e-mails from most of the users she sent the e-mail to. All of them said that they were able to access e-mail just fine and that the speeds were great. They also said they were able to browse the Internet without a problem, but

none of them could access any of the file server resources that they needed to do their work. What is the easiest thing Kristy can do to facilitate this need?

- A. Change the DNS server to a global option in DHCP
- B. Change the WINS server to a global option in DHCP
- C. Change the node type to a local option for each scope in DHCP
- D. Add another WINS server to facilitate the dial-in users

Correct Answer: B

---

### QUESTION 10



You work as the network administrator at ABC.com. The ABC.com network has a domain named ABC.com. The servers at the ABC.com network run Windows Server. ABC.com has a subsidiary named Test Labs, Inc. that has a domain named testlabs.com.

The ABC.com network has a DNS server named ABC-SR05. ABC-SR05 acts as a secondary zone for testlabs.com

What actions must you take to track when the DNS server at Test Labs, Inc. sends notifications of modifications in the zone of testlabs.com to ABC-SR05?

- A. You must run the gpresult command in verbose mode.
- B. You must select debug logging and set the log to store Notification events on ABC- SR05.
- C. You must run the secedit command in analysis mode.
- D. You must configure a two-way initiated demand-dial connection.

Correct Answer: B

---

#### QUESTION 11

You administer your company\\s network. A single-domain Active Directory forest is configured on the network. All servers run Windows Server.

The network contains a server named Server5 that hosts confidential business data. Access to Server5 must be restricted to only a few authorized personnel. You must ensure that those users, including designated Server5 administrators,

cannot share Server5\\s desktop with other users.

What should you do?

- A. Disable Remote Assistance in the local policy on Server5.
- B. Create a new OU, move Server5 to the OU, create a GPO that disables Remote Assistance, and link the GPO to the OU.
- C. Create a new OU, move Server5 to the OU, create a GPO that disables Remote Desktop, and link the GPO to the OU.
- D. Disable Remote Desktop in the local policy on Server5.
- E. Disable Remote Assistance in System Properties on Server5.
- F. Disable Remote Desktop in System Properties on Server5.

Correct Answer: B

---

#### QUESTION 12

The president of your company has asked you if VPN technology could benefit the company. What is the greatest benefit provided by VPN?



- A. VPN solutions provide secure connectivity at a significant price savings compared to long distance analog or dedicated circuit connections.
- B. VPN solutions utilize fewer resources than dedicated circuits or analog connections.
- C. VPN solutions provide better remote control capabilities than other third-party alternatives.
- D. VPN solutions provide higher speed connections than dedicated circuits or analog connections.

Correct Answer: A

---

### QUESTION 13

You are working as an administrator for ABC.com. The network consists of a single Active Directory domain named ABC.com. All server run Windows Server and all client computer run Windows XP Professional.

The ABC.com departments are organized into organizational units (OUs). The Administration OU is named ABC\_ADMIN, and the Sales OU is named PABC\_SALES. All file servers for all departments are located in their respective OUs. The ABC\_SALES OU is a child OU of the ABC\_ADMIN OU. A new ABC.com written security policy states that servers in the ABC\_ADMIN OU should be highly secure. All communications with ABC-ADMIN servers should be encrypted. The security policy also states that auditing should be enabled for

file and folder deletion on Sales servers. Communications with the Sales servers should not be encrypted. How should you configure Group Policy for the ABC\_Admin and ABC\_Sales OU? (Choose three.)

- A. Configure a GPO to apply the Hisecws.inf security template. Link this GPO to the ABC\_ADMIN OU.
- B. Configure a GPO to enable the Audit object access audit policy on computer objects. Link this GPO to the ABC\_SALES OU.
- C. Configure a GPO to apply the Hisecws.inf security template. Link this GPO to the ABC\_Sales OU.
- D. Configure a GPO to enable the Audit object access audit policy on computer objects. Link this GPO to the ABC\_ADMIN OU.
- E. Block group policy inheritance on the ABC\_ADMIN OU.
- F. Block group policy inheritance on the ABC\_SALES OU.

Correct Answer: ABF

---

### QUESTION 14

You are working as the administrator at ABC.com. Part of your job description includes the deployment of applications on the ABC.com network. To this end you operate by testing new application deployment in a test environment prior to deployment on the production network.

The new application that should be tested requires 2 processors and 3 GB of RAM to run successfully. Further requirements of this application also include shared folders and installation of software on client computers. You install the application on a Windows Server Web Edition computer and install the application on 30 test client computers.

During routine monitoring you discover that only a small amount of client computers are able to connect and run the application. You decide to turn off the computers that are able to make a connection and discover that the computers



that failed to open the application can now run the application.

How would you ensure that all client computers can connect to the server and run the application?

- A. By running a second instance of the application on the server.
- B. By increasing the Request Queue Limit on the Default Application Pool.
- C. By modifying the test server operating system to Window Server Standard Edition.
- D. By increasing the amount of RAM in the server to 4GB.

Correct Answer: C

---

### QUESTION 15

You are working as an administrator at ABC.com. The ABC.com network consists of a single Active Directory domain named ABC.com which contains Windows Server servers Windows XP Professional client computers.

You want to improve network security and need to pinpoint all computers that have the known vulnerabilities.

What should you do to automate the process of collecting information on existing vulnerabilities for each computer, on a nightly basis?

- A. By scheduling secedit to compare the security settings with a baseline and run on a nightly basis.
- B. By installing Anti-Virus software on the computers and configuring the software to update on a nightly basis.
- C. By configuring a scheduled task to run the mbsacli utility on a nightly basis.
- D. By having Microsoft Baseline Security Analyzer (MBSA) installed on a server on the network.
- E. By configuring Automatic Updates to use a local SUS server and run on a nightly basis.
- F. You configuring Automatic Updates to run on a nightly basis and use the Microsoft Updates servers.

Correct Answer: C

[Latest JPR-961 Dumps](#)

[JPR-961 VCE Dumps](#)

[JPR-961 Exam Questions](#)