

# M70-201<sup>Q&As</sup>

Magento Certified Developer Plus Exam

# Pass Magento M70-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/m70-201.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Magento Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





# **QUESTION 1**

In which table could you find the order state?

- A. sales\_flat\_order
- B. sales\_flat\_order\_state
- C. sales\_flat\_order\_status
- D. sales\_flat\_order\_status\_history

Correct Answer: A

## **QUESTION 2**

Given an EAV-based data model whose data is stored in the table foo\_entity, in which table would you find the values for an attribute of the varchar type?

- A. foo\_entity\_attribute\_storage
- B. foo\_entity\_varchar
- C. entity\_attribute\_varchar
- D. foo\_entity
- Correct Answer: B

# **QUESTION 3**

You want to implement a custom attribute source model.

Which method do you have to implement after extending Mage\_Eav\_Model\_Entity\_Attribute\_Source\_Abstract?

- A. getOptionText()
- B. getAHOptions ()
- C. getOptionHash()
- D. getOptionId()
- Correct Answer: B



# **QUESTION 4**

Which of the following actions will enable logging via calls to debugData() on a native Magento payment method model?

- A. Set the protected property \$\_debug of the payment model to true
- B. Set the config node default/payment/debug/ [method code] to 1
- C. Call Mage::register (\\'payment\_method\_debug\_\\' . [method code], true);
- D. Set the config node default/payment/ [method code]/debug to 1
- E. Call setDebug(true) on the payment method model

Correct Answer: D

# **QUESTION 5**

You want to filter a product collection so that it will return only SKUs 12 and 123. You will use a call to

\$collection->addFieldToFilter(\\'sku\\', );

Two of the following arrays could be used to complete that call correctly. Which two? (Choose two)

- A. array(\\'sku\\' => 12, \\'sku\\' => 123)
- B. array(array(\\'eq\\' => 12), array(\\'eq\\' => 123))
- C. array(12 => true, 123 => true)
- D. array(12, 123)
- E. array(\\'int\\' => 12), array(\\'int\\' => 123))
- Correct Answer: BD

# **QUESTION 6**

Assume that PayPal has presented a new API for online purchasing that you are going to use.

Which class should you extend for doing that?

- A. Mage\_Sales\_Model\_Quote\_Payment
- B. Mage\_Payment\_Model\_Info



- C. Mage\_Payment\_Model\_Method\_Abstract
- D. Mage\_Sales\_Model\_Order\_Payment

Correct Answer: C

# **QUESTION 7**

How are "Rule-based related products" added to the shopping cart when you check their checkbox together with the checkbox for the basic product?

- A. As the basic product\\'s custom options
- B. Separately from the basic product
- C. As the basic product\\'s configuration options
- D. As a single grouped product
- Correct Answer: B

#### **QUESTION 8**

Which three of the following will return an instance of a resource model? (Choose three)

- A. Mage::getResourceModel( \\'customer/customer1);
- B. Mage::getResourceSingleton(\\'customer/customer\\');
- C. Mage::getModel(\\'customer/customer\\')->getResourceModel();
- D. Mage::getResourceModel(\\'customer/customer\\')->getInstance();
- E. Mage::getModel(\\'customer/customer\\')->getResource();
- F. Mage:: getRe sour ceModel \\'customer/customer\\' )->getRe source ();

Correct Answer: ABE

#### **QUESTION 9**

Which method is called on a shipping carrier model to fetch a list of all available shipping methods, along with the rates associated with them, for a quote address?

- A. collectShippingRates()
- B. getAllowedMethodsO



- C. getShippingRates()
- D. getAvailableRates()
- E. collectRates()
- Correct Answer: E

# **QUESTION 10**

Which two of the following methods can be used to load an entity\\'s data from its configured data table? (Choose two)

- A. \$entityModel->loadEntity(\$id)
- B. \$entityModel->load(\$attributeValue, \$attributeCode)
- C. \$entityModel->loadById(\$id)
- D. \$entityModel->loadEntity(\$attributeCode, \$attributeValue)
- E. \$entityModel->load(\$id)
- Correct Answer: BE

# **QUESTION 11**

Which kind of class is responsible for calculating the actual amount of reward points in every case?

- A. Reward model (Enterprise\_Reward\_Model\_Reward)
- B. Action model (derivatives from Entet:prise\_Reward\_Model\_Action)
- C. Event model (derivatives from Enterprise\_Reward\_Model\_Event)
- D. Calculation model (Enterprise\_Reward\_Model\_Calculator)

Correct Answer: B

# **QUESTION 12**

What is the difference in the effect of calling the invoice capture () method versus the invoice pay () method?

- A. No difference: pay () will always call capture ().
- B. Pay () will trigger the payment and capture!) will not.



- C. Capture () will trigger the payment and pay () will not.
- D. The difference is determined by the payment method implementation.

Correct Answer: C

# **QUESTION 13**

Which one of the following classes must you extend in order to implement a custom indexer?

- A. Mage\_Eav\_Model\_Indexet:\_Abstract
- B. Mage\_Cotre\_Model\_Indexeir\_Abstract
- C. Mage\_Index\_Model\_Entity\_Indexer\_Abstract
- D. Mage\_Index\_Model\_Indexer\_Abstract
- Correct Answer: D

#### **QUESTION 14**

When the load method is called on an EAV-based data model, which of the following occurs before the load method returns?

A. walkAttributes is used to call load on the backend model of each attribute to load its corresponding value.

- B. \_afterLoad is called on the source model of each loaded attribute that has one.
- C. walkAttributes is used to call afterLoad on the backend model of each loaded attribute that has one.
- D. walkAttributes is used to iterate over each attribute and load its data from the correct table on the database.

Correct Answer: C

## **QUESTION 15**

To implement a standard Adminhtml form for a custom data model, which two of the following must you do? (Choose two)

A. Declare your module\\'s block class prefix in the config.xml file.B. Implement a sub-class of Mage\_Adminhtml\_Block\_Widget\_Form.

- B. Implement a sub-class of Mage\_Adminhtml\_Block\_Form\_Abstract.
- C. Create sub-classes of Mage\_Adminhtml\_Block\_Form\_Element\_Abstract for each form field to be presented.



D. Add a set of configuration values in the module\\'s config-xml defining the form fields to be displayed.

Correct Answer: AB

M70-201 PDF Dumps

M70-201 Study Guide

M70-201 Braindumps