



# MACE<sup>Q&As</sup>

Medication Aide Certification Examination

## Pass Test Prep MACE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mace.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Singular (Montelukast) is most often used with other medications to control asthma. What is the most important factor to remember when using Singular?

- A. Singular is not a fast-acting drug and cannot be used in the place of a rescue bronchodilator.
- B. It may reduce the use of a fast-acting bronchodilator over time.
- C. It may lead to fewer symptoms during the night.
- D. It may lead to fewer asthma attacks.

Correct Answer: A

---

### QUESTION 2

The resident in room 220 had trouble swallowing breakfast this morning. The Medication Aide's best course of action is to do \_\_\_\_\_.

- A. change the medication route to rectal instead of by mouth
- B. give the medication slowly with ample water
- C. hold the medication and tell the nurse of the resident's difficulty swallowing
- D. call the provider to report the resident's difficulty swallowing

Correct Answer: C

---

### QUESTION 3

Which of the following is not a proton pump inhibitor?

- A. Aciphex
- B. Nexium
- C. Pepcid
- D. Prevacid

Correct Answer: C

---

### QUESTION 4

Which of the following is not a hormone used as a chemotherapeutic agent?

- A. Tamoxifen



- B. Estradiol
- C. Thyroid-stimulating hormone
- D. Abaralix

Correct Answer: C

---

#### QUESTION 5

The MA-C knows the correct method for preparing to administer a metered-dose inhaled respiratory medication is \_\_\_\_\_.

- A. Shake the medication container.
- B. Do not shake but roll the medication container in the palms of the hands until well mixed.
- C. Set the medication out at room temperature until it reaches body temperature.
- D. Do not shake or roll the medication container before administering.

Correct Answer: A

---

#### QUESTION 6

Which of the following is a serious adverse effect of synthroid?

- A. Tachycardia
- B. Malignant hyperthermia
- C. Fatigue
- D. Hypotension

Correct Answer: A

---

#### QUESTION 7

Antidysrhythmic medications are used to treat all of the following conditions except for \_\_\_\_\_.

- A. Tachycardia
- B. Hypertension
- C. Irregular heartbeat
- D. Hyperlipidemia

Correct Answer: D

---



### QUESTION 8

Which of the following medications could be used for hypertension?

- A. Inderal
- B. Sinemet
- C. Synthroid
- D. Glipizide

Correct Answer: A

---

### QUESTION 9

What is the most effective antiviral for the flu?

- A. Abacavir
- B. Acyclovir
- C. Amantadine hydrochloride
- D. Oseltamivir

Correct Answer: D

---

### QUESTION 10

A resident is receiving an antithyroid drug.

Which of the following elements found in food should the resident avoid?

- A. Sodium
- B. Potassium
- C. Iodine
- D. Magnesium

Correct Answer: C

---

### QUESTION 11

Which of following is one of the six rights of medication administration?

- A. Right to refuse care.



- B. Right dose.
- C. Right to choose.
- D. Right to request change in medication.

Correct Answer: B

---

#### QUESTION 12

Which group below has the highest risk for infection?

- A. Persons 5-10 years old
- B. Persons 30-50 years old
- C. Persons 18-29 years old
- D. Persons 80 years and over

Correct Answer: D

---

#### QUESTION 13

Requip is a medication used to decrease restless leg syndrome and as a treatment for Parkinsonism by mimicking dopamine in the brain. What type of drug is Requip?

- A. Idiosyncratic
- B. Antagonist
- C. Agonist
- D. Paradoxical

Correct Answer: C

---

#### QUESTION 14

Clarinx is a medication that is available as an over-the-counter drug. The drug's action is to reduce \_\_\_\_\_.

- A. Allergy symptoms
- B. Stomach upset
- C. Pain from arthritis
- D. Gas

Correct Answer: A

---



**QUESTION 15**

What is the correct adult dosage for lactulose?

- A. 1 teaspoon
- B. 3 teaspoons
- C. 2 teaspoons
- D. 1/2 teaspoon

Correct Answer: B

[MACE PDF Dumps](#)

[MACE VCE Dumps](#)

[MACE Study Guide](#)