



MB-335^{Q&As}

Microsoft Dynamics 365 Supply Chain Management Functional
Consultant Expert

Pass Microsoft MB-335 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mb-335.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You need to resolve the shop supervisor's issue.

Which options should you use? To answer, select the appropriate option in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Step	Action
Step 1	<div><div></div><div><div>Cancel the planning job.</div><div>Set the job status to in progress.</div><div>Set the job status to not planned.</div><div>Issue a new Kanban card.</div></div></div>
Step 2	<div><div></div><div><div>Modify the time fence.</div><div>Rerun the master plan.</div><div>Enable auto-firming.</div></div></div>

Correct Answer:



Step	Action
Step 1	<div><div></div><div><div>Cancel the planning job.</div><div>Set the job status to in progress.</div><div>Set the job status to not planned.</div><div>Issue a new Kanban card.</div></div></div>
Step 2	<div><div></div><div><div>Modify the time fence.</div><div>Rerun the master plan.</div><div>Enable auto-firming.</div></div></div>

QUESTION 2

A manufacturing plant uses Lean process. You plan to outsource a painting operation to a subcontracting vendor. You create a service item named SP-01 to represent the painting service.

You need to create a subcontracting activity for the painting service.

Solution:

- 1.) Create a purchase agreement for the subcontracting vendor that contains the pricing information for SP-01
- 2.) Create a vendor resource and a work cell for outsourced painting, then add the resource to the work cell 3.) Create a production flow process activity using the painting work cell and the service item as the picking activity 4.) Create a service term on the activity to tie the purchase agreement to the activity

Does this solution meet the goal?

A. Yes

B. No

Correct Answer: A

References:

<https://docs.microsoft.com/en-us/dynamics365/unified-operations/supply-chain/production-control/activity-based-subcontracting>



QUESTION 3

HOTSPOT

You need to configure system attributes.

Which attribute types should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Trim

	▼
Text	
Integer	
Boolean	
Reference	

Storage Package

	▼
Decimal	
Integer	
Boolean	
Reference	

Engine

	▼
Decimal	
Integer	
Boolean	
Reference	

Correct Answer:



Trim

	▼
Text	
Integer	
Boolean	
Reference	

Storage Package

	▼
Decimal	
Integer	
Boolean	
Reference	

Engine

	▼
Decimal	
Integer	
Boolean	
Reference	

QUESTION 4



HOTSPOT

You are developing a new car audio system kit. The kit configuration has restrictions based on car model, speaker size, and other expression constraints.

You need to set up a new item for the car audio system.

How should you create the new product? To answer, select the appropriate option in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

New released product field

Product subtype

Selection

item
service
product
product master

Product dimension group (active dimensions)

configuration
style
style and configuration
size and style

Configuration technology

predefined variant
dimension-based configuration
constraint-based configuration

Correct Answer:



Answer Area

New released product field

Product subtype

Selection

item
service
product
product master

Product dimension group (active dimensions)

configuration
style
style and configuration
size and style

Configuration technology

predefined variant
dimension-based configuration
constraint-based configuration

QUESTION 5

You have a product that can be manufactured on two different production lines in the same warehouse. You create resources and then create individual input locations for the resources. You create two routes.

Each route uses different resources.

Materials are staged for consumption in different locations based on the resources being utilized for production.

You need to set up the formula to consume the goods from the correct line-side location.

What should you do?

- A. Select a warehouse and consumption operation for each line.
- B. Select resource consumption and the operation for each line.
- C. Select the plan group and consumption operation for each line.
- D. Specify a site in the formula header.

Correct Answer: B

QUESTION 6

You need to create the production orders for standard model bicycles. Which method should you use?



- A. Sales order line
- B. Master planning execution
- C. Supply schedule form
- D. Released item
- E. All production orders form

Correct Answer: C

Reference: <https://docs.microsoft.com/en-us/dynamics365/supply-chain/master-planning/supply-schedule>

QUESTION 7

A company produces pipe at certain fixed lengths.

The company must be able to schedule cutting machines. You set up the cutting machines as resources. All cutting resources can produce many of the products. There are some products that require cutting machines that can produce longer lengths of product. Only some of the machines can do this.

You need to configure the resources to account for these different products.

What should you do?

- A. Build capability related to length and assign to the appropriate resources.
- B. Configure the Data/Hour option on the Capacity unit field on the resource.
- C. Create a resource for each length.
- D. Create a resource group for each length.

Correct Answer: A

QUESTION 8

You need to plan scheduling for Customer1s\\' order of unscented solution.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

- A. Schedule productions based on the capacity of the resources.
- B. Schedule production based on the availability of raw material.
- C. Split and plan operations in detail for each of the resources.
- D. Plan scheduling of the production at the resource group level.
- E. Run master planning with a specific time fence.



Correct Answer: AD

A: Finite and infinite capacity

When you consider capacity in production scheduling, you can select from two different methods:

Infinite - Unlimited capacity Finite - Limited capacity

When finite capacity is used, scheduling is influenced by the fact that the total load on the resource must not be greater than the capacity of the resource. Available time is defined as an interval when the resource, according to its calendar, is open and no other reservations are on capacity.

D: Operations or job scheduling that is based on finite (limited) capacity depends on the actual capacity that is available in the resource group or resource. If finite capacity is not defined on the resource or resource group, it is of no relevance if it is selected during scheduling because the resource or group setup overrides the scheduling setup. In other words, selecting finite capacity on the resources and resource groups is a prerequisite for them being considered as having finite capacity.

The strategy behind this functionality is that only bottleneck resources and groups are set up to operate with finite capacity, whereas scheduling of the other resources and groups reflects the possibility of increasing the capacity, for example,

with overtime.

Note: Customer1 orders 20 barrels of unscented solution. The order is confirmed. Production must be scheduled to start on December 21 to meet the customers delivery deadline.

The production quantity for the finished unscented liquid cleaning solution is 40 liters. IngredientC for unscented liquid cleaning solution is stored in inventory in 50-liter barrels and allocated in 50-liter increments. Two barrels of IngredientC are

uses to produce a barrel of unscented liquid cleaning solution.

Incorrect:

Not E: Coverage time fences

Planners can define the planning horizon (the coverage time fence in days), and exclude supply and demand that falls beyond that horizon. Therefore, coverage time fences help prevent "noise" that is caused by supply suggestions that you

don't have to react to for months. Examples include next year's forecast and customer orders that are placed far beyond the normal lead time.

A coverage time fence is the number of days after today's date (or, more precisely, the date when you do the planning run) that supply and demand is excluded. To help avoid delays, you must ensure that the coverage time fence is longer

than the total lead time. The default system value is 100 days.

Reference:

<https://learn.microsoft.com/en-us/training/modules/work-capacity-planning-scheduling-discrete-dyn365-supply-chain-mgmt/2-scheduling-options>

QUESTION 9



You need to configure production control parameters for liquid cleaning solution manufacturing. What are two possible ways to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Require an electronic signature when the formula is approved.
- B. Select Block editing and approve the formula.
- C. Select the Block removal of approval option for the formula
- D. Select the Block editing option only.

Correct Answer: BC

Reference: <https://docs.microsoft.com/en-us/dynamics365/supply-chain/production-control/formulas-versions>

QUESTION 10

A company uses engineering change management in Dynamics 365 Supply Chain Management. The Product readiness checks feature is turned off.

An existing engineering product must be reconfigured for a new product readiness policy.

You need to change the product readiness policy.

Where should you make this change?

- A. default order settings
- B. shared product
- C. engineering category
- D. product configuration model
- E. released product

Correct Answer: E

QUESTION 11

A manufacturing company uses time and attendance in Dynamics 365 Supply Chain Management.

The company requires that employees register time against each machine on the shop floor.

You need to configure the system so that employees can register time.

Which two configurations must be set up? Each answer represents a partial solution.

NOTE: Each correct selection is worth one point.

- A. electronic timecard parameter



- B. registration workflow
- C. machines as a resource
- D. time registration workers

Correct Answer: CD

Reference:

<https://docs.microsoft.com/en-us/dynamics365/supply-chain/production-control/time-attendance-registrations>

QUESTION 12

A manufacturer is implementing Dynamics 365 Supply Chain Management with warehouse management processes (WMS).

Warehouse workers use hand-held devices to pick and stage batch-tracked products for production. The warehouse manager requires that products are removed from on-hand inventory and consumed when they are picked and staged for

production.

You need to remove the products from on-hand inventory.

What should you configure?

- A. mobile device menu item, start production order
- B. flushing principle, available at location
- C. flushing principle, start
- D. manufacturing execution, job card device

Correct Answer: C

QUESTION 13

You need to configure the system for plastic operations.

Which two parts should be manually reported as finished? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. unmachined plastic pieces
- B. mold tooling
- C. machined plastic pieces
- D. excess plastic



Correct Answer: AC

QUESTION 14

You need to configure the system to meet the order requirements for unscented cleaning solution.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the ingredients for unscented cleaning solution to a regulated products inclusion list.
- B. On the inventory management parameters, set the value for the Print Product Safety Data Sheet and Prevent Sales Pack Slip/Invoice Posting to TRUE.
- C. In Document Handling, associate the PSDS file with the PSDS record and set restriction field set to Internal.
- D. Configure the ingredient as a restricted and regulated product.
- E. Ensure that the PSDS file is active and within the expiration date requirements.

Correct Answer: ABE

A: Regulated items are identified once they are listed as a regulated item. It is common that material may be regulated in just certain regions, countries, or states. Therefore, the restricted items are entered for each region. If items are not on a Regional regulated item list, they are assumed to be not regulated. This list can be accessed either through Inventory management or the released products form.

B: The inventory parameters (path: Inventory management Setup> Inventory and warehouse management parameters) allow you to govern the rules in the management of the product safety data sheet. These parameters are stored in an exclusive Product compliance section and are set within each legal entity. In this form you can outline:

*

Whether to automatically print safety data sheets when shipping.

*

Etc.

E: Expiry advice defines the number of days before the expiration date of product safety data sheets that the system should begin presenting messages.

Requirements, Liquid cleaning solution manufacturing, include:

An ingredient used to manufacture unscented cleaning solution is defined as a restricted product. You must be able to automatically print a product safety data sheet (PSDS) with the packing slip for any order that includes unscented cleaning

solution.

Reference:

<https://dynamicconsulting.com/2020/10/29/managing-product-safety-data-sheets/>



<https://stoneridgesoftware.com/managing-product-safety-data-sheets-in-dynamics-365-operations/>

QUESTION 15

A product is produced through lean manufacturing. The cleaning and inspection is performed by a contractor as an activity of a production flow.

You need to assign the appropriate cost group type for the subcontracted work.

Which cost group type should you use?

- A. Direct material
- B. Indirect
- C. Undefined
- D. Direct manufacturing
- E. Direct outsourcing

Correct Answer: E

In Microsoft Dynamics 365 Supply Chain Management, there are two approaches for subcontracting:

production orders and lean manufacturing. In the lean manufacturing approach, the subcontracting work is modeled as a service that is related to an activity of a production flow. A special type of cost group type that is named Direct

outsourcing has been introduced, and the subcontracting services are no longer part of a bill of materials (BOM). The cost accounting of subcontracted work is fully integrated into the costing solution for lean manufacturing.

Reference: <https://docs.microsoft.com/en-us/dynamics365/supply-chain/production-control/activity-based-subcontracting>

[MB-335 VCE Dumps](#)

[MB-335 Practice Test](#)

[MB-335 Study Guide](#)