



MS-600^{Q&As}

Building Applications and Solutions with Microsoft 365 Core Services

Pass Microsoft MS-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ms-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You are building a Microsoft teams application by using an outgoing webhook. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
If you have an outgoing webhook named hook1, you can invoke the webhook by using the @hook1 mention.	<input type="radio"/>	<input type="radio"/>
An outgoing webhook must be authenticated by using Azure Active Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
The security token for an outgoing webhook expires after one year.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Statements	Yes	No
If you have an outgoing webhook named hook1, you can invoke the webhook by using the @hook1 mention.	<input checked="" type="radio"/>	<input type="radio"/>
An outgoing webhook must be authenticated by using Azure Active Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
The security token for an outgoing webhook expires after one year.	<input checked="" type="radio"/>	<input type="radio"/>

QUESTION 2

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

Statements	Yes	No
You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	<input type="radio"/>	<input type="radio"/>
Microsoft Outlook actionable messages are written in JSON.	<input type="radio"/>	<input type="radio"/>
You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	<input checked="" type="radio"/>	<input type="radio"/>
Microsoft Outlook actionable messages are written in JSON.	<input checked="" type="radio"/>	<input type="radio"/>
You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	<input type="radio"/>	<input checked="" type="radio"/>

Box 1: Yes

The Adaptive Cards Designer provides a drag-and-drop experience to quickly build and tweak adaptive cards.

Outlook Actionable Messages cards are designed using the Adaptive Card format. The Adaptive Card format is a simple yet powerful declarative layout format that provides a lot of flexibility, allowing for visually rich cards. In this topic we'll cover the Outlook-specific features of the Adaptive Card format.

Box 2: Yes

The actionable message card is in JSON format.

Box 3: No

By default, the Tenant Administrator can create, edit, clone, and delete tenants, and manage user accounts.

Note:

To enable Actionable Messages the recipient of the task must be an Office 365 customer with permissions for the



SharePoint online site.

No: Office 365 administrators can disable actionable messages via the Set-OrganizationConfig cmdlet. If actionable messages do not render, check with your administrator to make sure the feature is enabled in your organization.

Adaptive Cards Designer Microsoft outlook actionable messages

References: <https://docs.microsoft.com/en-us/outlook/actionable-messages/adaptive-card>

<https://gingkoapp.com/create-tenant-administrator.html>

QUESTION 3

Which URI should you use to query all the emails that relate to an invoice?

```
https://graph.microsoft.com/v1.0/me/messages?$search="{invoiceid}"
https://graph.microsoft.com/v1.0/me/messages?$subject eq {invoiceid}
https://graph.microsoft.com/v1.0/me/messages?${invoiceid}
https://graph.microsoft.com/v1.0/me/messages?$filter=contains(subject,{invoiceid})
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 4

You have a starter SharePoint Framework (SPFx) web part.

You need to test the web part from the local workbench by connecting to a URL of <https://localhost:4321/temp/workbench.html>.

Which tool should you use make the web part available locally for debugging?

- A. Yeoman
- B. Microsoft Visual Studio Code
- C. npm install
- D. gulp serve



Correct Answer: B

By setting up debugging of your SharePoint Framework solution in Visual Studio Code, you can more efficiently step through your code and fix errors. When building SharePoint Framework solutions, you can use the local workbench to verify that your web part is working correctly. Using the local workbench is convenient for testing all scenarios that do not require communicating with SharePoint as well as for offline development. Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/debug-in-vscode>

QUESTION 5

HOTSPOT

For each of the following statements, select Yes, if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input type="radio"/>	<input type="radio"/>
Microsoft Office Web Add-ins can be developed by using C#.	<input type="radio"/>	<input type="radio"/>
The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Statements	Yes	No
A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input type="radio"/>	<input checked="" type="radio"/>
Microsoft Office Web Add-ins can be developed by using C#.	<input type="radio"/>	<input checked="" type="radio"/>
The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input checked="" type="radio"/>	<input type="radio"/>



Box 1: No

Box 2: No

The manifest is in XML format.

Box 3: Yes

SourceLocation is required and specifies the source file location(s) for your Office Add-in as a URL between 1 and 2021 characters long. The source location must be an HTTPS address, not a file path.

QUESTION 6

You have a SharePoint Framework (SPFx) web part named WebPartA that uses SPFx 1.11.0. You need to ensure that WebPartA can be installed as an app in Microsoft Teams. What should you do?

- A. Update the WebPartA.manifestjson file.
- B. Update the Config.json file.
- C. Upload WebPartA to the Microsoft Teams app catalog.
- D. From a command prompt, run the yo gmicrosoft/sharepoint command.

Correct Answer: C

QUESTION 7

You need to implement the role functionality for the backend web service calls.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Upload a certificate for the application registration of the backend web service.
- B. Modify the manifest that defines the application roles and set Allowed Member Types to Apps.
- C. Modify the manifest that defines the application roles and set Allowed Member Types to Users.
- D. Assign the application roles to the Azure AD group that contains the users who are mapped to the roles.
- E. Create a new client secret in the application registration of the backed web service.

Correct Answer: BD

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-add-app-roles-in-azure-ad-apps>

QUESTION 8

HOTSPOT



You plan to implement a new task pane in Microsoft Office.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
Task panes are available in Office Online.	<input type="radio"/>	<input type="radio"/>
Task panes can be placed on either the left or right side of application windows.	<input type="radio"/>	<input type="radio"/>
Task panes can be used to modify the contents of documents.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
Task panes are available in Office Online.	<input checked="" type="radio"/>	<input type="radio"/>
Task panes can be placed on either the left or right side of application windows.	<input checked="" type="radio"/>	<input type="radio"/>
Task panes can be used to modify the contents of documents.	<input type="radio"/>	<input checked="" type="radio"/>

Reference: <https://github.com/OfficeDev/office-js-docs-pr/blob/master/docs/develop/automatically-open-a-task-pane-with-a-document.md> <https://docs.microsoft.com/en-us/office/troubleshoot/settings/office-program-task-panes>

QUESTION 9



HOTSPOT

You are developing a single-page application (SPA) that authenticates users by using MSAL.js. The SPA must meet the following requirements:

Only allow access to the users in an organization named contoso.onmicrosoft.com.

Support single sign-on (SSO) across tabs and user sessions.


How should you complete the code for the SPA? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: 
  },
  cacheLocation: 
}

const myMSALObj = new UserAgentApplication(config);
function authCallback(error, response) {
  //handle redirect response
}
myMSALObj.handleRedirectCallback(authCallback);
```



Correct Answer:



```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: [
      "https://login.microsoftonline.com/consumers/",
      "https://login.microsoftonline.com/organizations/",
      "https://login.microsoftonline.com/contoso.onmicrosoft.com",
    ],
    cacheLocation: [
      "localStorage",
      "sessionStorage",
    ],
  },
};

const myMSALObj = new UserAgentApplication(config);
function authCallback(error, response) {
  //handle redirect response
}
myMSALObj.handleRedirectCallback(authCallback);
```

QUESTION 10

You are developing an application that will use Microsoft Graph.

You attempt to retrieve a list of the groups in your organization by using a URI of `https://graph.microsoft.com/v1.0/groups` on behalf of the user.

The application fails. The diagnostic logs show the following information:

1.

An HTTP 403 Forbidden status code.

2.

An `Authorization_RequestDenied` error code.

3.

The following error message: "Insufficient privileges to complete the operation."

You need to ensure that the application can retrieve the list of groups. The solution must use the principle of least privilege.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.



- A. In the permission request for the application, request the Group. Read. All permission.
- B. Grant tenant admin consent for the Group.Read. All permission.
- C. Configure the application to use application permissions.
- D. In the permission request for the application, request the Group. Readwrite. All permission

Correct Answer: CD

Reference: <https://docs.microsoft.com/en-us/graph/permissions-reference>

QUESTION 11

You have a SharePoint Framework (SPFx) web part that displays the weather. Users can set the city within the web part. Which component is invoked to provide the users with the ability to configure the settings for the web part?

- A. a custom control
- B. the property pane
- C. the Application Customizer
- D. a library component

Correct Answer: B

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/guidance/integrate-web-part-properties-with-sharepoint>

QUESTION 12

DRAG DROP

You need to develop a conversational bot in Microsoft Teams.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



Actions

Answer Area

Upload the package to Microsoft AppSource.

Create a web service. Register an application in Azure Active Directory (Azure AD) and configure the implicit grant flow.

Create a Microsoft Teams app manifest and modify the `bots` section.



Upload the package to Microsoft Teams.



Create a web service. Register an application in Azure Active Directory (Azure AD) and configure a client secret.

Register a web service by using the SharePoint admin center.

Correct Answer:



Actions

- Upload the package to Microsoft AppSource.
- Create a web service. Register an application in Azure Active Directory (Azure AD) and configure the implicit grant flow.
-
-
-
- Register a web service by using the SharePoint admin center.

Answer Area

- Create a web service. Register an application in Azure Active Directory (Azure AD) and configure a client secret.
- Create a Microsoft Teams app manifest and modify the bots section.
- Upload the package to Microsoft Teams.



Reference: <https://www.sharepointeurope.com/step-by-step-configure-bot-to-work-in-teams-and-with-microsoft-graph/>

QUESTION 13

You plan to develop a TypeScript client-side app that will use the MSGraphClient library.

You need to configure Microsoft Visual Studio Code to use IntelliSense and support code completion for the MSGraph client library.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Install the Microsoft Graph Toolkit.
- B. Add the following import Statement to the code: `import * as MicrosoftGraph from '@Microsoft/microsoft-graph-types';`
- C. Run the `npm install @microsoft/microsoft-graph --save-dev` command.
- D. Run the: `npm install @microsoft/microsoft-graph-types --save-dev` command.



E. Add the following import statement to the code: `import * as MicrosoftGraph from '@microsoft/microsoft-graph';`

Correct Answer: BE

QUESTION 14

HOTSPOT

You are developing a SharePoint Framework (SPFx) solution.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
Field Customizer extensions can be used to change the rendering of a field.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input type="radio"/>	<input type="radio"/>

Correct Answer:



Statements	Yes	No
Field Customizer extensions can be used to change the rendering of a field.	<input checked="" type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input checked="" type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input checked="" type="radio"/>	<input type="radio"/>

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-field-customizer#enhance-the-field-customizer-rendering>

<https://www.spguides.com/spfx-application-customizer/>

QUESTION 15

HOTSPOT

You need to modify the HRApp manifest to provide a tab that supports querying the third-party HR system.

Which section of the manifest should you modify, and which value should you set as the scope? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

Section:

bots
staticTabs
configurableTabs
composeExtensions

Scope:

team
meeting
personal

Correct Answer:

Answer Area

Section:

bots
staticTabs
configurableTabs
composeExtensions

Scope:

team
meeting
personal

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/resources/schema/manifest-schema#composeextensions>