



NCS_20022101010^{Q&As}

NCSS 2G RA OaM 2.2

Pass Nokia NCS_20022101010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/ncs_20022101010.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Nokia has promoted and supported the so called "Design for Services" Requirements. Why?

- A. Design for Services are technical requirements to improve Nokia services and service pricing over competitors.
- B. Design for Services are technical requirements to improve Nokia production time and pricing competitiveness over competitors.
- C. Design for Services is a process to verify the quality of faulty field units in order to improve Nokia quality over competitors for Pre P8 products.
- D. Design for Services is a process to verify the quality of faulty field units in order to improve Nokia quality over competitors for Post P8 products.

Correct Answer: A

QUESTION 2

The RG40 BSS GSM/DEGE release does NOT support which of the below HW NW elements?

- A. Talk Family BTS, BSCi / BSC2i, BTSplus BTS.
- B. Horizon BTS, BSCi / BSC2i, BTSplus BTS.
- C. Talk Family BTS, BSCi / BSC2i, BTSplus BTS, Talk Family BTS.
- D. Talk Family BTS, BSCi / BSC2i.

Correct Answer: D

QUESTION 3

How many Erlangs of Traffic can a RG30 mcBSC support with 1 Cabinet?

- A. 26400.
- B. 4400.
- C. 20000.
- D. 34816.

Correct Answer: A

QUESTION 4

Which program block is responsible for hardware alarm collection in BSC?



- A. EALSMU.
- B. ALARMP.
- C. HWALCO.
- D. DPALAR.

Correct Answer: C

QUESTION 5

Which of the following is the second generation of mobile communication system?

- A. AMPS.
- B. TACS.
- C. GSM.
- D. NMT.

Correct Answer: C

QUESTION 6

Short messages are transmitted in?

- A. SCH.
- B. PCH.
- C. SDCCH.
- D. TCH.

Correct Answer: C

QUESTION 7

For configuration of cell broadcast messages, which server should be used?

- A. SMSC.
- B. Cell tick.
- C. Standalone BSC server.
- D. NetAct Server.

Correct Answer: B



QUESTION 8

Algorithm A5 is located in?

- A. ME and BTS.
- B. AC and VLR.
- C. AC and SIM.
- D. AC and BTS.

Correct Answer: A

QUESTION 9

Which library is used to capture packets by wireshark in windows?

- A. WinPcap.
- B. WinDLL.
- C. WinLin.
- D. WinWire.

Correct Answer: A

QUESTION 10

Which protocol is used between two different ISPs?

- A. BGP.
- B. IGRI.
- C. Diameter.
- D. Radius.

Correct Answer: A

QUESTION 11

What stack is used for monitoring DAP channels in Dynamic Abis in M5 Nethawk?

- A. DAP 16 Kbps.
- B. Nokia Abis GPRS.



C. PCU 16 Kbps.

D. Nokia Abis Signaling.

Correct Answer: B

QUESTION 12

What type of information is collected in Blackbox log files?

A. Control Blocks.

B. Memory Segment.

C. Data Segment.

D. Header File.

Correct Answer: A

QUESTION 13

The timer for periodic location updating is defined in?

A. BSC.

B. SIM.

C. VLR.

D. HLR.

Correct Answer: A

QUESTION 14

In a Network where high LTE/HSPA Power is required, which feature should we implement?

A. High Speed Rail Handover.

B. Enhanced packet Scheduling.

C. Orthogonal Sub Channel for DHR.

D. Energy Efficient Coverage.

Correct Answer: D

QUESTION 15



In DX200 alarm printout, unknown equipment type is printed as?

- A. SWITCH.
- B. TRANSM.
- C. EXTERN.
- D. ???????.

Correct Answer: D

[NCS_2022101010 Study Guide](#)

[NCS_2022101010 Exam Questions](#)

[NCS_2022101010 Braindumps](#)