



NS0-153^{Q&As}

Network Appliance Storage Networking

Pass NetApp NS0-153 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-153.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which set of protocols provide block-level access to NetApp storage?

- A. CIFS and NFS
- B. iSCSI and FCP
- C. HTTP and FTP
- D. SNA and RPC

Correct Answer: B

QUESTION 2

Given the content of the /etc/quotas file, select the appropriate answer. What would the default limit for the user wesson for the volume /vol/wmv be if their explicit quota of 75 MB of disk space and 75K files was removed from the /etc/quotas file?"

- A. 50MB disk space, 15K files
- B. 750MB disk space, 85K files
- C. 100MB disk space, 75K files
- D. 75MB disk space, 75K files

Correct Answer: A

QUESTION 3

Applications, such as databases, running on NAS or iSCSI or FC SAN must be _____.

- A. prepared for snapshots by flushing buffers to disk and momentarily suspending activity.
- B. disconnected from their storage resources during the snapshot.
- C. using dynamic multipathing during a backup.
- D. mirrored with a host-based volume manager to be backed-up.

Correct Answer: A

QUESTION 4

Which command shares out the directory /vol/vol2/home using the share name "netapp"?

- A. cifs shares -add netapp /vol/vol2/home



B. cifs shares -add /vol/vol2/home/netapp

C. cifs shares -add netapp /vol/vol2

D. None of the above

Correct Answer: A

QUESTION 5

Which three are used for creating LUNs on the storage appliance? (Choose 3)

A. lun create

B. lun setup

C. FilerView

D. lun config

Correct Answer: ABC

QUESTION 6

Which command displays the credentials the storage system has stored in memory for a particular user account?

A. cifs

B. wcc

C. showcred

D. mem_disp

Correct Answer: B

QUESTION 7

If you are receiving RPC timeouts, the following troubleshooting steps would be appropriate:

1) Verify that the RPC is enabled.

2) Verify that the NFS daemons are running.

3) Verify that the correct mount points have been created.

A. True

B. False

Correct Answer: A

**QUESTION 8**

You are having problems accessing three recently-created LUNs. Given the output below, the reason is because all of the LUNs are using the same LUN ID of 0.

```
lun show -m
LUN path                Mapped to          LUN ID
-----
/vol/vol1/lun0          solaris-igroup0     0
/vol/vol1/lun1          windows-igroup      0
/vol/vol1/qtreet1/lun2  aix-igroup          0
/vol/vol1/qtreet1/lun3  linux-igroup        0
```

A. True

B. False

Correct Answer: B

QUESTION 9

Which two commands can be performed with the SnapDrive for Windows graphical user interface? (Choose 2.)

A. Create Disk

B. Create VLD

C. Connect Disk

D. Convert VLD to LUN

Correct Answer: AC

QUESTION 10

NTFS allows file access based on _____.

A. NT ACLs and UNIX permissions.

B. SID and password.

C. NT ACLs and SID.

D. UNIX permissions.

Correct Answer: C

QUESTION 11



What is the outcome of this command? `lun create -b /vol/vol2/.snapshot/testsnap/lun0 /vol/vol2/lun0.clone`

- A. It creates a duplicate of the clone process of lun0.
- B. It creates a clone of the writeable snapshot of lun0.
- C. It creates a writeable snapshot of lun0.
- D. It creates a snapshot "testsnap" of vol2.

Correct Answer: C

QUESTION 12

If you believe you have a FC SAN performance problem, which NetApp utility or command would gather both your Solaris host and storage appliance data for analysis?

- A. poststat
- B. perfstat
- C. prestat
- D. sio_ntap.exe

Correct Answer: B

QUESTION 13

In an iSCSI target configuration, there are two ISWT adapters. The purpose of adapter iswta is for local traffic. What is the purpose of the iSCSI target adapter iswtb?

- A. It is used for partner traffic in a clustered Windows host environment.
- B. It is used for partner traffic in a clustered storage appliance environment.
- C. It is used for iSCSI network traffic when iswta is exceeding thresholds.
- D. It is used for iSCSI network traffic when iswta has failed.

Correct Answer: B

QUESTION 14

Which two will allow you to read and analyze a packet trace file generated by the storage appliance? (Choose 2)

- A. pktt
- B. Netmon
- C. Eternal View



D. Ethereum

Correct Answer: BD

QUESTION 15

You receive an error message from an iSCSI host stating there is an authentication error. Which command would you use to troubleshoot the failure?

- A. iscsi security delete
- B. iscsi security generate
- C. iscsi show adapter
- D. iscsi security show

Correct Answer: D

[Latest NS0-153 Dumps](#)

[NS0-153 VCE Dumps](#)

[NS0-153 Exam Questions](#)