# NS0-170<sup>Q&As</sup>

Network Appliance NetCache

## Pass NetApp NS0-170 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass4itsure.com/ns0-170.html**

## 100% Passing Guarantee
## 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

Which one of the following will show all of the NetCache appliance\\'s current configuration settings?

A. show config ?

B. show config *

C. show config.?

D. Show config.*

Correct Answer: D

**QUESTION 2**

All of the following are supported interface types EXCEPT _____.

A. 10/100 Ethernet

B. Gigabit Ethernet, fiber

C. Gigabit Ethernet, copper

D. ATM

Correct Answer: D

**QUESTION 3**

Once created, NetCache groups _____.

A. may not be edited

B. must be used for authentication

C. are required to match existing groups on the authentication server

D. may be edited to revise names, permissions, or ACLs

Correct Answer: D

**QUESTION 4**

The NetCache Appliance Manager\\'s Maintenance > Software > Error Pages feature is used to _____ .

A. replace the error responses generated by origin Web servers

B. generate custom responses for NetCache configuration errors

C. replace the error responses generated by the NetCache

D. enable logging of HTTP errors

Correct Answer: C

## QUESTION 5

Which one of the following is the correct command to download software to the NetCache?

A. install -dc

B. download -dl

C. set software -dc

D. config install -dl

Correct Answer: B

## QUESTION 6

In a forward proxy deployment, the NetCache appliance is typically installed close to the _____ and administered by the _____.

A. end user, content provider

B. end user, service provider

C. origin server, content provider

D. origin server, service provider

Correct Answer: B

## QUESTION 7

When configuring NTLM authentication you must specify the _____.

A. UNIX computer to use

B. Windows domain controller to use

C. RADIUS server

D. None of the above

Correct Answer: B

**QUESTION 8**

The NetCache appliance may be used for all of the following EXCEPT _____.

A. HTTP URL filtering

B. SMTP proxy

C. DNS caching

D. NFS caching

Correct Answer: B

**QUESTION 9**

The system messages are _____ .

A. written to a log file that can be rotated at scheduled intervals

B. printed on the console and can be sent in "real time" to a remote syslog server

C. written to a log file that can be rotated at any time

D. written to a log file that can be pushed to a remote FTP server at scheduled intervals

Correct Answer: B

**QUESTION 10**

The best place to find information regarding a log header, such as x-cs-headerlength, is the _____.

A. Deployment Guide

B. Guide to Messages and Logfile Entries

C. Guide to Caching Protocols and Services

D. Administration Guide

Correct Answer: B

**QUESTION 11**

What is the "NTLM Cache" feature typically used for?

A. Enables NetCache to cache NTLM-authenticated objects.

B. Enables NetCache to authenticate users using NTLM.

C. Enables cached objects retrieved as the result of a successful NTLM exchange to be served to new users without

requiring authentication.

D. Enables the caching and reuse of NTLM challenges in order to reduce the processing load on the domain controller.

Correct Answer: D

**QUESTION 12**

Browser requests can be directed to the NetCache through all of the following methods EXCEPT _____.

A. transparent redirection with a Layer 4 switch

B. configuring the browser client to use WCCP

C. transparent redirection with WCCP on a Cisco router or switch

D. configuring the browser client to use an automatic proxy configuration file

Correct Answer: B

**QUESTION 13**

What syntax is used to get an extensive help definition for a particular command?

A. help [command]

B. ?

C. [command] help

D. command ?

Correct Answer: A

**QUESTION 14**

The NetCache DNS Tree Search option is recommended when _____.

A. users will not always provide fully-qualified domain names

B. faster resolutions are desired

C. users always provide fully-qualified domain names

D. you want to reduce network traffic

Correct Answer: A

**QUESTION 15**

The NetCache appliance\\'s clock can _____ and _____

A. NOT be synchronized with a remote server

B. be synchronized with NTP servers

C. be synchronized with Windows domain controllers

D. be synchronized with RDATE servers

Correct Answer: BD

[NS0-170 PDF Dumps](#)      [NS0-170 Study Guide](#)      [NS0-170 Exam Questions](#)