



# NS0-515<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, E-Series

## Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-515.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

Which file contains the configuration for a multipath driver for FC on Linux systems?


- A. /etc/kernel/mp.conf
- B. /opt/multipath/multipath.cnf
- C. /etc/multipath.conf
- D. /etc/dm-multipath.conf

Correct Answer: C

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMP12404601](https://library.netapp.com/ecm/ecm_download_file/ECMP12404601)

**QUESTION 2**

Click the Exhibit button.



Referring to the exhibit, which cable is an InfiniBand 4X connector?

- A. 3
- B. 1
- C. 2



D. 4

Correct Answer: C

Reference: [http://www.admin-sys.org/IMG/pdf/Hardware\\_Universe.pdf](http://www.admin-sys.org/IMG/pdf/Hardware_Universe.pdf)

---

### QUESTION 3

An administrator is asked to create a Dynamic Disk Pools (DDP) pool from eleven 12 TB disks with the requirement that there is adequate space available for a reconstruction if a drive in the pool fails.

In this scenario, what should the administrator do to satisfy this requirement?

- A. Create the disk pool, and then edit the pool to reserve 12 TB of space
- B. Create the disk pool, and then add another 12 TB drive to the pool
- C. Create the disk pool, and then the system automatically reserves 12 TB of space
- D. Create the disk pool, and then create a hot spare on another 12 TB disk

Correct Answer: D

Reference: <https://www.netapp.com/us/media/tr-4652.pdf>

---

### QUESTION 4

Which data protection strategy has the most overhead capacity as a percentage of the total capacity?

- A. RAID 10
- B. RAID 6
- C. RAID 5
- D. Dynamic Disk Pools (DDP)

Correct Answer: C

Reference: <https://www.techrepublic.com/blog/the-enterprise-cloud/raid-50-offers-a-balance-of-performance-storage-capacity-and-data-integrity/>

---

### QUESTION 5

You help a customer diagnose a performance issue on an E-Series storage system. You decide to measure the amount of data that is being handled over the span of an hour.

In this scenario, what are you measuring?

- A. I/O alignment



- B. parity
- C. throughput
- D. IOPS

Correct Answer: D

Reference: <https://www.netapp.com/us/media/tr-3969.pdf>

---

#### QUESTION 6

A customer has launched a data analytics initiative and has been transferring old data into the new data lake. The customer has discovered some data read errors during the transfer process.

In this scenario, how should the customer have avoided these data integrity issues?

- A. by ensuring that data assurance and media scan are always activated
- B. by deploying secure-capable drives
- C. by turning on cyclic redundancy checks (CRCs)
- D. by turning on erasure coding

Correct Answer: A

---

#### QUESTION 7

The NetApp E-Series system with a 32 Gb FC Host Interface Card (HIC) requires which type of fiber cable to connect to switches or to connect directly to hosts extending up to 100 meters?

- A. OM4
- B. OM3
- C. OM1
- D. OM2

Correct Answer: B

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2773537](https://library.netapp.com/ecm/ecm_download_file/ECMLP2773537)

---

#### QUESTION 8

An administrator is asked to create an asynchronous mirroring environment that supports multiple mirroring relationships, each with different recovery point objectives (RPOs).

In this scenario, how does the administrator create this environment?



- A. The administrator creates a mirror group with the appropriate RPOs
- B. The administrator creates multiple mirror pairs, each with their own schedule and RPO
- C. The administrator creates a single consistency group with multiple RPOs
- D. The administrator creates multiple mirror consistency groups with the appropriate RPOs

Correct Answer: A

Reference: <https://www.netapp.com/us/media/tr-4656.pdf>

---

#### QUESTION 9

Which NetApp tool provides information on size, weight, acoustic noise, and power of NetApp E-Series systems?

- A. Hardware Universe
- B. Interoperability Matrix Tool
- C. Config Advisor
- D. Active IQ

Correct Answer: A

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2773645](https://library.netapp.com/ecm/ecm_download_file/ECMLP2773645)

---

#### QUESTION 10

You are adding drives to an existing Dynamic Disk Pool (DDP).

In this scenario, which two drive characteristics should you consider when selecting the drives? (Choose two.)

- A. if the drives are the same capacity or larger
- B. if the drives have a compatible security type
- C. if the drives are from the same manufacturer
- D. if the drives have the same firmware level

Correct Answer: AB

Reference: <https://www.netapp.com/us/media/tr-4652.pdf>

---

[Latest NS0-515 Dumps](#)

[NS0-515 VCE Dumps](#)

[NS0-515 Brindumps](#)