# NSE6_FML-6.0<sup>Q&As</sup>

Fortinet NSE 6 - FortiMail 6.0

## Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass4itsure.com/nse6_fml-6-0.html**

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

**Instant Download** After Purchase

**100% Money Back** Guarantee

**365 Days** Free Update

**800,000+** Satisfied Customers

**QUESTION 1**

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal and there are no unnecessary failovers?

A. Upgrade the active unit, which will upgrade the standby unit automatically

B. Upgrade both units at the same time

C. Upgrade the standby unit, and then upgrade the active unit

D. Break the cluster, upgrade the units independently, and then form the cluster again as quickly as possible

Correct Answer: D

**QUESTION 2**

Examine the configured routes shown in the exhibit; then answer the question below.

```
#get sys route
= = [1]
destination: 0.0.0.0/0          gateway:10.47.1.1       interface: port1
= = [2]
destination: 10.1.100.0/22      gateway:10.38.1.1       interface: port3
= = [3]
destination: 10.1.100.0/24      gateway:10.29.1.1       interface: port2
= = [4]
destination: 10.1.100.0/24      gateway:10.10.1.1       interface: port4

Number of items: 4
```

Which interface will FortiMail use to forward an email message destined for 10.1.100.252?

A. port2

B. port4

C. port3

D. port1

Correct Answer: A

**QUESTION 3**

Examine the FortiMail DLP scan rule shown in the exhibit; then answer the question below.

| Profile | Rule |
|---------|------|

### Message Scan Rule

**Name:** DLPOut

**Description:**

**Conditions**

○ Match all conditions  ● Match any condition

New... | Edit... | Delete |

| ID | Condition |
|----|-----------|
| 1 | Body contains sensitive data "Credit_Card_Number" |
| 2 | Attachment contains sensitive data "Credit_Card_Number" |
| 3 | Subject contains Credit Card |

**Exceptions**

New... | Edit... | Delete |

| ID | Condition |
|----|-----------|
| 1 | Sender contains sales@internal.lab |

Which of the following statements is true regarding this configuration? (Choose two.)

A. An email message containing the words "Credit Card" in the subject will trigger this scan rule

B. If an email is sent from sales@internal.lab the action will be applied without matching any conditions

C. An email message containing credit card numbers in the body will trigger this scan rule

D. An email must contain credit card numbers in the body, attachment, and subject to trigger this scan rule

Correct Answer: AC

**QUESTION 4**

Examine the FortiMail active-passive cluster shown in the exhibit; then answer the question below.

Primary

port1
172.16.32.56

port2
Virtual IP
172.16.32.55

port1
172.16.32.1

firewall

switch

port2

port1
172.16.32.57

Secondary

## Primary HA Interface Configuration

**HA Interface**
Port: **port1...**
Enable port monitor ☐
Heartbeat status: Disable
Peer IP address: 0.0.0.0
Peer IPv6 address: ::
Virtual IP action: Ignore
Virtual IP address: 0.0.0.0 / 0
Virtual IPv6 address: :: / 0

Which of the following parameters are recommended for the Primary FortiMail\\'s HA interface configuration? (Choose three.)

A. Enable port monitor: disable

B. Peer IP address: 172.16.32.57

C. Heartbeat status: Primary

D. Virtual IP address: 172.16.32.55/24

E. Virtual IP action: Use

Correct Answer: CDE

**QUESTION 5**

Examine the nslookup output shown in the exhibit; then answer the question below.

```
C:\>nslookup -type=mx example.com
Server: PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com          MX preference = 10, mail exchanger = mx.hosted.com
example.com          MX preference = 20, mail exchanger = mx.example.com
```

Identify which of the following statements is true regarding the example.com domain\\'s MTAs. (Choose two.)

A. External MTAs will send email to mx.example.com only if mx.hosted.com is unreachable

B. The primary MTA for the example.com domain is mx.hosted.com

C. The PriNS server should receive all email for the example.com domain

D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: CD

[Latest NSE6_FML-6.0 Dumps](#)          [NSE6_FML-6.0 PDF Dumps](#)   [NSE6_FML-6.0 Braindumps](#)