



P9530-039^{Q&As}

IBM WebSphere MQ Technical Sales Mastery Test v2

Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/p9530-039.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following is NOT a channel connection enhancement new in WebSphere MQ v7?

- A. MQI channel connections can be shared
- B. SSL encryption for each MQI Channel connection
- C. Read-ahead for non-persistent messages
- D. Automatic client reconnection

Correct Answer: B

QUESTION 2

On distributed systems, to determine the access rights a user has to a WebSphere MQ object which entity most accurately describes where to look?

- A. Access control lists
- B. Objects authorities
- C. Objects rights
- D. Object privileges

Correct Answer: B

QUESTION 3

Which of the following is NOT a WebSphere MQ v7 installable component?

- A. WebSphere MQ Broker
- B. WebSphere MQ Server
- C. WebSphere MQ Explorer
- D. WebSphere MQ Client

Correct Answer: A

QUESTION 4

What is the prefix for WebSphere MQ error messages?

- A. AMQ



B. WMQ

C. MQR

D. MQE

Correct Answer: A

QUESTION 5

To write a message to a WebSphere MQ v7 queue, which of the following MQI API calls is NOT a required step of the application programming code?

A. MQCONM

B. MQPUT

C. MQSET

D. MQOPEN

Correct Answer: C

QUESTION 6

What is the name of the command-line administrative interface?

A. CLI

B. MQE

C. MQSC

D. MQA

Correct Answer: C

QUESTION 7

What happens to messages that have been read (MQGET) from a queue as part of a transaction in the event of an error during the transaction?

A. Message moved to dead-letter-queue.

B. Message sent to error log.

C. Message put back on queue.

D. Nothing, message already consumed.

Correct Answer: D

**QUESTION 8**

What is the name of the MQMD field that a message producer uses to ensure that no consumers receive a message after a message has been on a destination queue for a specified period of time?

- A. Timeout
- B. Expiry
- C. TimeToLive
- D. MaxAge

Correct Answer: B

QUESTION 9

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Correct Answer: D

QUESTION 10

In order to run MQv7 on a distributed platform with earlier versions of WebSphere MQ running on the same physical server, what must you do?

- A. This configuration is not allowed.
- B. Install MQv7 into a different directory than previous versions.
- C. Map listeners to different ports.
- D. Both B and C.

Correct Answer: A