



PAM-DEF^{Q&As}

CyberArk Defender - PAM

Pass CyberArk PAM-DEF Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pam-def.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CyberArk
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have associated a logon account to one your UNIX cool accounts in the vault. When attempting to [b]change [/b] the root account\\'s password the CPM will.....

- A. Log in to the system as root, then change root\\'s password
- B. Log in to the system as the logon account, then change roofs password
- C. Log in to the system as the logon account, run the su command to log in as root, and then change root\\'s password.
- D. None of these

Correct Answer: C

QUESTION 2

Match the log file name with the CyberArk Component that generates the log.

Select and Place:

ITALog		PTA
pm.log		Vault
diamond.log		CPM
CyberArk.WebApplication.log		PVWA

Correct Answer:

	diamond.log	PTA
	ITALog	Vault
	pm.log	CPM
	CyberArk.WebApplication.log	PVWA

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/PVWA-Logging.htm>

**QUESTION 3**

When a DR Vault Server becomes an active vault, it will automatically fail back to the original state once the Primary Vault comes back online.

- A. True; this is the default behavior
- B. False; this is not possible
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file
- D. True, if the AllowFailback setting is set to "yes" in the dbparm.ini file

Correct Answer: B

QUESTION 4

How does the Vault administrator apply a new license file?

- A. Upload the license.xml file to the system Safe and restart the PrivateArk Server service
- B. Upload the license.xml file to the system Safe
- C. Upload the license.xml file to the Vault Internal Safe and restart the PrivateArk Server service
- D. Upload the license.xml file to the Vault Internal Safe

Correct Answer: B

QUESTION 5

You are creating a Dual Control workflow for a team's safe. Which safe permissions must you grant to the Approvers group?

- A. List accounts, Authorize account request
- B. Retrieve accounts, Access Safe without confirmation
- C. Retrieve accounts, Authorize account request
- D. List accounts, Unlock accounts

Correct Answer: C

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/PVWA-Dual-Control.htm> (expand all and search for retrieve accounts)

QUESTION 6



Which values are acceptable in the address field of an Account?

- A. It must be a Fully Qualified Domain Name (FQDN)
- B. It must be an IP address
- C. It must be NetBIOS name
- D. Any name that is resolvable on the Central Policy Manager (CPM) server is acceptable

Correct Answer: D

QUESTION 7

What is the chief benefit of PSM?

- A. Privileged session isolation
- B. Automatic password management
- C. Privileged session recording
- D. `Privileged session isolation` and `Privileged session recording`

Correct Answer: C

QUESTION 8

What is the purpose of the password change process?

- A. To test that CyberArk is storing accurate credentials for accounts
- B. To change the password of an account according to organizationally defined password rules
- C. To allow CyberArk to manage unknown or lost credentials
- D. To generate a new complex password

Correct Answer: B

QUESTION 9

When a group is granted the `Authorize Account Requests` permission on a safe Dual Control requests must be approved by

- A. Any one person from that group
- B. Every person from that group
- C. The number of persons specified by the Master Policy



D. That access cannot be granted to groups

Correct Answer: C

QUESTION 10

Secure Connect provides the following. Choose all that apply.

- A. PSM connections to target devices that are not managed by CyberArk.
- B. Session Recording
- C. Real-time live session monitoring.
- D. PSM connections from a terminal without the need to login to the PVWA

Correct Answer: AB

QUESTION 11

Which CyberArk utility allows you to create lists of Master Policy Settings, owners and safes for output to text files or MSSQL databases?

- A. Export Vault Data
- B. Export Vault Information
- C. PrivateArk Client
- D. Privileged Threat Analytics

Correct Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/EVD/Exporting-Data-to-Files.htm?Highlight=evd%20italog>

QUESTION 12

Which option in the Private Ark client is used to update users\' Vault group memberships?

- A. Update > General tab
- B. Update > Authorizations tab
- C. Update > Member Of tab
- D. Update > Group tab

Correct Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Predefined-Users-and->



Groups.htm?TocPath=Administration%7CUser%20Management%7C_____7

QUESTION 13

Which of the following options is not set in the Master Policy?

- A. Password Expiration Time
- B. Enabling and Disabling of the Connection Through the PSM
- C. Password Complexity
- D. The use of "One-Time-Passwords"

Correct Answer: C

QUESTION 14

A Simple Mail Transfer Protocol (SMTP) integration is critical for monitoring Vault activity and facilitating workflow processes, such as Dual Control.

- A. True
- B. False

Correct Answer: B

QUESTION 15

tsparm.ini is the main configuration file for the Vault.

- A. True
- B. False

Correct Answer: B

[PAM-DEF PDF Dumps](#)

[PAM-DEF Exam Questions](#)

[PAM-DEF Braindumps](#)