



QSDA2018^{Q&As}

Qlik Sense Data Architect Certification Exam

Pass Qlik QSDA2018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/qsda2018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibits.

Conversion

Date	Rate
2017-01-01	12.8
2017-03-04	11.2
2017-06-10	13.4

Calendar

Date
2017-01-01
2017-01-02
2017-01-03
...

A business analyst must see a currency conversion rate for any given date in a chart. The currency conversion rate data is held in a separate table in the database and only contains a record when the rate changes. An existing master calendar exists in the data model that contains a full set of dates.

Which technique should the data architect use to meet this requirement?

- A. Join the calendar with the currency conversion table Order by date and use the Peek function to fill in the blank values
- B. Use IterNo and autogenerate to create a new calendar max and min dates of the currency conversion table Force concatenate with the master calendar
- C. Use a For loop between the start date and end date of the master calendar Use the Match function to add the currency conversion rates to the master calendar
- D. Use IntervalMatch to load the currency conversion rate between dates the conversion changed Inner Join the resultant table back into the master calendar

Correct Answer: A

QUESTION 2

Refer to the exhibit.



Name	Country
------	---------

Bob	USA
John	US
Fred	U.S.A.
Amy	France

The Country field in a CRM app is a free-form text field. More spelling variations and countries are expected in the future. A data architect must create a field called CountryCode based on the value in the Country field.

Which script should the data architect create to perform this task?

- A.

```
LOAD Name,
    Pick(Match(Country, 'USA', 'US', 'U.S.A.', 'France'), 'USA', 'USA', 'USA', 'FRA') AS CountryCode;
```
- B.

```
CountryCode:
MAPPING LOAD * INLINE [
    Country, CountryCode
    USA, USA
    US, USA
    U.S.A., USA
    France, FRA
];

Persons:
LOAD Name,
    ApplyMap('CountryCode', Country, 'UNK') AS CountryCode;
```
- C.

```
LOAD Name,
    If (Left(Country, 1)='U', 'USA', 'FRA') AS CountryCode;
```
- D.

```
CountryCode:
LOAD * INLINE [
    Country, CountryCode
    USA, USA
    US, USA
    U.S.A., USA
    France, FRA
];


Persons:
JOIN LOAD Name,
    Country;
```

A. B. C. D.

Correct Answer: B

QUESTION 3

Refer to the exhibit.



A data architect is reviewing an app that is under development. The app has NOT been published. All data has been validated in all charts and KPIs. The data architect notices that the data model has two fact tables with common field names that cause a synthetic join.

Which step should the data architect take to correct the data model without affecting the app?

- A. Concatenate LOAD the data from the Sales and Budget tables to combine into a single table.
- B. Create a composite key in the Sales and Budget tables that consists of the Year, EmployeeID, and ProductID
- C. Perform a composite key in the Sales and Budget tables instead of loading Year, EmployeeID, and ProductID
- D. Perform a mapping load for the Employees table and use ApplyMap in the Sales and Budget tables.

Correct Answer: D

QUESTION 4



A data architect needs to develop three separate apps (Sales, Finance, and Operations). The three apps share numerous identical calculation expressions. The data architect wants to reduce duplicate script and stores it on a file server that Qlik Sense can access.

How should the data architect complete requirements?

- A. Call batch file
- B. Macro on server
- C. Execute server script
- D. Include script function

Correct Answer: D

QUESTION 5

A car manufacturer has several QlikView apps. The manufacturer decides to migrate some specific apps to Qlik Sense. The manufacturer decides to migrate some specific wants to reuse front-end variables from the previous QlikView app.

Which strategy should a data architect use to meet these requirements?

- A. Use the QlikView converter within the Dev Hub of Qlik Sense
- B. Drag and drop a QVM file into the Qlik Sense hub and create a new app
- C. Export the existing LOAD script into a QVS file for later reuse in Qlik Sense
- D. Copy and paste the LOAD script of the existing QlikView app into the new app.

Correct Answer: A

QUESTION 6

Refer to the exhibits.



EmpID	Dept	Jan	Feb	Mar	Apr	May	Jun
1	A	60	63	53	61	80	57
2	A	60	62	56	73	77	65
3	B	61	62	80	66	77	75
4	B	72	72	55	70	54	77
5	B	72	72	55	55	60	57

Commission

EmpID	Dept	ManagerID	Level
1	A	10	Junior
2	A	11	Senior
3	A	10	Junior
4	B	12	Junior
5	B	11	Senior

Employee

```

22 CROSSTABLE ([Month],[Commission],2)
23 LOAD *
24 FROM [lib://cert/Book1.xlsx]
25 (ooxml, embedded labels, table is Commission);
26
27 LOAD *
28 FROM [lib://cert/Book1.xlsx]
29 (ooxml, embedded labels, table is Employee);
30

```

The two tables have been loaded by the script shown. This script creates a synthetic key, which is not desired. The Dept code in the Employee table is incorrect for EmpID=3. The data architect must change line 27 to create a single table in the data model that is accurate.

Which LOAD statement should the data architect use?

- A. JOIN LOAD EmpID, ManagerID, Level
- B. KEEP LOAD EmpID, ManagerID, Level
- C. JOIN LOAD *
- D. CONCATENATE LOAD EmpID, ManagerID, Level

Correct Answer: A

QUESTION 7

Stocks levels are stored online in a system that keeps information for the current period only.



What should the data architect do to enable analysis of the trends of the stock levels?

- A. Use On-Demand App Generation (ODAG) to create new apps from the selected period
- B. Capture the periodic information in an incremental QVD file for use in an app
- C. Create an app for each period as it changes and use document chaining
- D. Create an app for each period and use a binary load task to create a single app

Correct Answer: B

QUESTION 8

Refer to the exhibit.

```
Section Access;  
LOAD * inline [  
ACCESS, USERID, REGION  
ADMIN, DOMAIN\A, NORTH  
ADMIN, DOMAIN\A, WEST  
ADMIN, DOMAIN\B, EAST  
];
```

```
Section Application;  
LOAD * inline [  
REGION,  
NORTH,  
EAST,  
WEST,  
SOUTH  
];
```

How should the account that runs the Qlik Sense Services be configured in the Section Access table?

- A. ADMIN, QLIK_SERVICES,
- B. ADMIN, DOMAIN/QLIK_SERVICES,
- C. ADMIN, QLIK_SERVICES,*
- D. ADMIN, DOMAIN\QLIK_SERVICES,*

Correct Answer: C

QUESTION 9



Refer to the exhibits.

	A	B	C
1	Revenue		
2	Date	Product	Revenue
3	01.01.2018	Product A	5600
4	01.02.2018	Product B	4800
5	01.03.2018	Product A	5200
6	01.04.2018	Product B	4600
7	01.05.2018	Product A	5100
8	01.06.2018	Product B	4400
9	01.07.2018	Product A	4800
10	01.08.2018	Product B	3200
11	01.09.2018	Product A	4400
12	01.10.2018	Product B	1200

	A	B	C
1	Customer Survey		
2	SurveyDate	SurveyProduct	SurveyScore
3	01.01.2018	Product A	9
4	01.02.2018	Product B	8
5	01.03.2018	Product A	7
6	01.04.2018	Product B	8
7	01.05.2018	Product A	6
8	01.06.2018	Product B	6
9	01.07.2018	Product A	6
10	01.08.2018	Product B	5
11	01.09.2018	Product A	5
12	01.10.2018	Product B	2

A company notices that product sales have decreased. A data architect needs to create an app to show the correlation between the decreased revenue and the latest customer survey results.

Which Qlik Sense feature should the data architect use to meet this requirement?

- A. Section access
- B. On-demand App Generation
- C. Master item library
- D. Associative data model

Correct Answer: C

**QUESTION 10**

A data architect has a QVD file that contains data from many countries. The data architect must write a script that loads only data from France, and make sure the reload occurs as fast as possible.

Which script should the data architect use to meet these requirements?

- A. T1:
LOAD * INLINE [
Country
France];
- LOAD * FROM TRANSACTIONS.qvd (qvd) Where EXISTS (Country) ;
- DROP Table T1 ;
- B. LOAD * FROM TRANSACTIONS.qvd (qvd) Where Match(Country, 'France') ;
- C. LOAD * FROM TRANSACTIONS.qvd (qvd) Where Country='France' ;

A. B. C.

```
T1:  
LOAD * INLINE [  
Country  
France ] ;  
  
LOAD * FROM TRANSACTIONS.qvd (qvd) Where Match(Country, 'France') ;  
  
DROP Table T1 ;
```

D.

Correct Answer: A

[Latest QSA2018 Dumps](#)

[QSA2018 PDF Dumps](#)

[QSA2018 Exam Questions](#)