



VCS-261^{Q&As}

Administration of Veritas InfoScale Storage 7.3 for UNIX/Linux

Pass Veritas VCS-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two features must be configured in order to manage storage with SmartTier? (Choose two.)

- A. the placement class tag
- B. SmartTier management at disk level
- C. SmartTier with solid state disks
- D. VxFS single volume file system
- E. SmartTier management at file level

Correct Answer: AD

QUESTION 2

Which InfoScale Storage object can be cached when SmartIO is enabled on a server?

- A. cache object
- B. subdisks
- C. VM disk
- D. volumes

Correct Answer: D

QUESTION 3

The disk group appdg is imported onto host01 using the `vxvg -t import appdg` command. Volumes have been started and file systems mounted. The system is then gracefully rebooted.

What happens to the appdg disk group after host01 has restarted?

- A. The appdg disk group remains deported; any host that can access the appdg disk group can import it.
- B. The appdg disk group remains deported; only host01 can import the disk group using the `vxvg import appdg` command.
- C. The appdg disk group is automatically imported; all volumes in the disk group are automatically started.
- D. The appdg disk group is automatically imported without starting the volumes or mounting the file systems.

Correct Answer: A

QUESTION 4



Which Veritas InfoScale for UNIX/Linux utility can an administrator use to upgrade the license key when a product or older license is already present on the system?

- A. vxleyless
- B. vxlicense
- C. vxlicinstupgrade
- D. vxlicrep

Correct Answer: C

QUESTION 5

Which command should an administrator use to determine the existing Array Support Libraries (ASL) and supported disk arrays on an existing system?

- A. vxinfo
- B. vxddladm
- C. vxdmpadm
- D. vxcheckasl

Correct Answer: B

Reference: https://sort.veritas.com/public/documents/sf/5.0/solaris64/html/sf_notes/rn_ch_notes_sol_sf32.html

QUESTION 6

Which file contains the name of the site to which the host belongs on a site-aware InfoScale Storage system?

- A. /etc/vx/.site
- B. /etc/hosts
- C. /etc/vx/sites
- D. /etc/vx/volboot

Correct Answer: D

QUESTION 7

How many Veritas file system cache areas are supported by SmartIO?

- A. one cache of each cache type on each system
- B. one for read caching and one for write caching on each system



- C. one for read caching and one for write caching for each file system
- D. one for read caching and one for write-back caching for each file system

Correct Answer: B

QUESTION 8

Which two details are available on the Deployment Report in Veritas InfoScale Operations Manager (VIOM)? (Choose two.)

- A. the version of the InfoScale product installed on the host
- B. the total storage allocated across enclosures by host
- C. the total number of deployment policies that are violated
- D. the number of hosts with InfoScale licenses installed
- E. how discovered storage is being consumed by host

Correct Answer: AD

QUESTION 9

Refer to the exhibit.

v	datavol	-	ENABLED	ACTIVE	2097152	SELECT	datavol-03	fsgen
p1	datavol-03	datavol	ENABLED	ACTIVE	2097152	STRIPE	2/128	RW
sv	datavol-S01	datavol-03	datavol-L01	1	1048576	0/0	2/2	ENA
v2	datavol-L01	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen
p2	datavol - P01	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg01-02	datavol-P01	datadg01	0	1048576	0	hds9500-alua0_6	ENA
p2	datavol-P02	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg03-02	datavol-P02	datadg03	0	1048576	0	hds9500-alua0_8	ENA
sv	datavol-S02	datavol-03	datavol-L02	1	1048576	1/0	2/2	ENA
v2	datavol-L02	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen
p2	datavol-P03	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg02 - 02	datavol-P03	datadg02	0	1048576	0	hds9500-alua0_7	ENA
p2	datavol-P04	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg04-02	datavol-P04	datadg04	0	1048576	0	hds9500-alua0_9	ENA

What is the layout of the volume described in the vxprint output provided in the exhibit?

- A. mirrored volume with each mirror made up of concatenated subdisks (mirror-concat)
- B. mirrored volume with each mirror made up of striped subdisks (mirror-stripe)
- C. layered volume striped across mirrored subvolumes (stripe-mirror)
- D. layered volume formed by concatenation of mirrored subvolumes (concat-mirror)

Correct Answer: B



QUESTION 10

Which Veritas InfoScale Operations Manager Add-on provides detailed information about the storage enclosures in the data center?

- A. the Fabric Insight Add-on
- B. the Storage Insight Add-on
- C. the Storage Provisioning and Enclosure Migration Add-on
- D. the Control Host Add-on

Correct Answer: B

QUESTION 11

Which Veritas Volume Manager (VxVM) disk format should an administrator use to allow a disk to be portable between operating systems?

- A. Simple Disk
- B. Partitioned Disk
- C. CDS Disk
- D. Sliced Disk

Correct Answer: C

QUESTION 12

Dynamic Multi-Pathing for VMware has an operating mode which enables the pooling of locally attached devices such as SSDs at the ESXi host layer.

Which feature should an administrator configure on the ESXi host running Veritas InfoScale?

- A. SmartIO
- B. SmartDisks
- C. SmartPool
- D. SmartMove

Correct Answer: C

QUESTION 13



The datavol volume has yet to be started, its kernel state is DISABLED, and its plexes are synchronized.

The datavol volume is in which state?

- A. READY
- B. WAIT
- C. SYNC
- D. CLEAN

Correct Answer: D

QUESTION 14

Which option should an administrator use with the vxsnap command to resynchronize a full-sized, space-optimized or linked break-off snapshot with the original volume?

- A. refresh
- B. reattach
- C. restore
- D. prepare

Correct Answer: D

QUESTION 15

An administrator uses the command shown below to create volume volzebra in the disk group mydg:

```
vxassist -b -g mydg make volzebra 10g layout=atripe
```

What is the default number of stripe columns for the volume?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: A