

Exam : **000-086**

Title : System x High Performance
Servers Technical Support
V4

Version : Demo

www.Pass4itSure.com

1. A manufacturing customer has a small SAN with both LINUX and Windows servers attached to a DS4300 storage server through redundant fabric. Which of the following is the most important consideration for proper function?

- A. Utilization of the interswitch links between the redundant switches
- B. Enablement of multi-OS Storage Partitioning feature on DS4300
- C. 50u multi-mode Fibre for 2Gb operation
- D. RAID level of the array on the DS4300

Answer: B

2. A banking customer has a mixed Dell and IBM server environment. They want to implement a system management solution for all their Windows, Linux, and VMWare ESX Intel based servers. Which of the following features of IBM Director will be an advantage for this customer?

- A. Free Aurema and SteelEye software plug-ins
- B. Supports non-IBM industry standard Intel based servers
- C. Servers can be managed from within the MS Performance Monitor
- D. Requires no agents to be installed and run on the IBM systems

Answer: B

3. An x3950 can withstand up to two failed memory chips per memory port. In addition, the customer requires protection for a third memory chip failure on that port. Which XA-64e feature will provide this extra level of protection?

- A. Chipkill
- B. Memory Mirroring
- C. Hot Spare Memory
- D. Memory ProteXion

Answer: B

4. A customer has a database application that is accessed by a large number of people through a web interface from multiple remote locations. Which of the following questions will provide the information necessary to design the best performing storage solution?

- A. How many web servers will be connected to the database
- B. Will the database be run on a Windows solution
- C. How many concurrent users will be accessing the database
- D. What are the types of transactions run against the database

Answer: D

5. A retail customer has 20 new IBM System x3850s and five blade chassis's. Each blade chassis has three blades. Windows 2000 server is installed on all of these servers. The customer also has an IBM System x3400 and just installed IBM Director server and Director console to monitor all the IBM servers. Now the customer is calling IBM complaining that the IBM Director server can discover the 5 blade chassis's, but cannot discover all of the x3850s. Which of the following is the FIRST item to check when determining the root cause?

- A. The IBM Director console has not been installed in the managed IBM servers.
- B. The IBM Director agents have not been installed in the IBM servers.
- C. Then necessary IBM Director patches have not been installed in the IBM servers.
- D. The IBM Director server has not been installed in the IBM servers.

Answer: B

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.